				Load Desj Isfer Capab	-						
Issue Date	: 30th June 202	20	Issu	e Time: 180	0 hrs		R	evision No.	. 4		
Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA) #	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments		
	1st July 2020	00-06				195	1805				
NR-WR*	2020	06-18	2500 500	500	2000	1223	777				
	2020	18-24			16700	195	1805				
		00-06	17200 16250**	500	16700 15750**	10268 9318**	6432				
		06-08	16250 17200 16250**	500	16700 15750**	10657 9707**	6043				
WR-NR*	1st July 2020	08-18	15950 15000**	500	15450 14500**	10657 9707**	4793				
	18-24	18-24	15950 15000**	500	15450 14500**	10268 9318**	5182				
		00-06	17200 16250**	500	16700 15750**	10268 9318**	6432				
WR-NR*	2nd July 2020 to 31st July 2020	06-18	17200 16250**	500	16700 15750**	10657 9707**	6043				
		18-24	17200 16250**	500	16700 15750**	10268 9318**	6432				
	1st July 2020	00-06	2000		1800	193	1607				
NR-ER*	to 31st July	06-18	2000	200	1800	303	1497				
	2020	18-24 00-08	2000 5250	300	1800 4950	193 4066	1607 884				
ER-NR*	1st July 2020	08-24	4800	300	4930	4066	434				
ER-NR*	2nd July 2020 to 31st July 2020	00-24	5250	300	4950	4066	884				
W3-ER	1st July 2020 to 31st July 2020	00-24		No limit is being specified.							
ER-W3	1st July 2020 to 31st July 2020	00-24		No limit is being specified.							
		00-0930	6950		6450		2415				
						-					

		00-0930	6950		6450		2415		
	1st July 2020	0930-22	6350	500	5850	4035	1815		
WR-SR <sup>^</sup>		22-24	6350		5850		1815		
		00-05	6950	500	6450	4035	2415		Revision in TTC/ATC due to
	2nd July 2020	05-09	6950		6450		2415		outage of 765/400 kV ICT-I at
	2nd July 2020	09-22	6350		5850		1815	<u>_600</u>	Maheshwaram
		22-24	6350		5850		1815	-600	Maneshwarann
	3rd July 2020	00-05	6950		6450	4035	2415		
	to 31st July	05-22	6950	500	6450		2415		
	2020	22-24	6950		6450		2415		
	1st July 2020								
SR-WR *	to 31st July	00-24	4600	400	4200	550	3650		
	2020								

					patch Cen pility for Jul					
ssue Date	: 30th June 202	20	Issu	e Time: 180	0 hrs		R	evision No	. 4	
Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA) #	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments	
		00-06	5650			2663	2737			
		06-0930	5650			2748	2652			
	1st July 2020	0930-18	5600	250	5400	2748	2652			
		18-24	5600			2663	2737			
ER-SR <sup>▲</sup>		00-06	5650		5400	2663	2737			
		06-09	5650	250	5400	2748	2652		Revision in TTC/ATC due to	
	2nd July 2020	09-18	5600		5350	2748	2602	-50	outage of 765/400 kV ICT-I at Maheshwaram	
		18-24	5600		5350	2663	2687	-50	Manesnwaram	
	3rd July 2020	00-06				2663	3037			
	to 31st July	06-18	5950	250	5700	2748	2952			
	2020	18-24				2663	3037			
SR-ER *	1st July 2020 to 31st July 2020	00-24		<u> </u>	1		s being Specified.	1		
		00-02	1080		1035	289	746			
		02-07	1080		1035	289	746			
		07-12 12-17	1080 1080	45	1035 1035	334 334	701 701		4	
ER-NER*	1st July 2020	17-18	1080		1035	334	701			
		18-22	950		905	289	616			
		22-23	1080		1035	289	746		-	
		23-24 00-07	1080 1080		1035 1035	289 289	746 746			
		07-08	1080		1035	334	701		Revised TTC due to day time	
ER-NER*	2nd July 2020	08-18	780	45	735	334	401	-300	shutdown of 400 kV Bongaigaor	
		18-22 22-24	700 780		655 735	289 289	366 446	-250 -300	Byrnihat S/C	
	2rd July 2020	00-07	1080		1035	289	746	-300		
ER-NER*	3rd July 2020 to 31st July	07-18	1080	45	1035	334	701			
	2020	18-22 22-24	950 1080		905 1035	289 289	616 746			
	00-08	2150		2105	21	2084				
		00-08 08-18	2150 2150		2105 2105	21 21	2084 2084			
	1st July 2020			45						
	1st July 2020	08-18	2150	45	2105	21	2084			
	1st July 2020	08-18 18-22	2150 2300	45	2105 2255	21 21	2084 2234			
NER-ER*		08-18 18-22 22-24	2150 2300 2150		2105 2255 2105	21 21 21	2084 2234 2084	-450	Revised TTC due to day time shutdown of 400 kV Bongaigaor	
NER-ER*	1st July 2020 2nd July 2020	08-18 18-22 22-24 00-08	2150 2300 2150 2150	45	2105 2255 2105 2105	21 21 21 21 21	2084 2234 2084 2084	-450 -450		
NER-ER*		08-18 18-22 22-24 00-08 08-18	2150 2300 2150 2150 1700		2105 2255 2105 2105 1655	21 21 21 21 21 21	2084 2234 2084 2084 1634		shutdown of 400 kV Bongaigaor	
NER-ER*		08-18 18-22 22-24 00-08 08-18 18-22	2150 2300 2150 2150 1700 1850		2105 2255 2105 2105 1655 1805	21 21 21 21 21 21 21 21	2084 2234 2084 2084 1634 1784	-450	shutdown of 400 kV Bongaigaor	
NER-ER*	2nd July 2020 3rd July 2020	08-18 18-22 22-24 00-08 08-18 18-22 22-24	2150 2300 2150 2150 1700 1850 1700	45	2105 2255 2105 2105 1655 1805 1655	21 21 21 21 21 21 21 21 21	2084 2234 2084 2084 1634 1784 1634	-450	shutdown of 400 kV Bongaigaor	
NER-ER*	2nd July 2020	08-18 18-22 22-24 00-08 08-18 18-22 22-24 00-08	2150 2300 2150 2150 1700 1850 1700 2150		2105 2255 2105 2105 1655 1805 1655 2105	21 21 21 21 21 21 21 21 21 21	2084 2234 2084 2084 1634 1634 1634 2084	-450	shutdown of 400 kV Bongaigaor	

	National Load Despatch Centre Total Transfer Capability for July 2020											
Issue Date	: 30th June 202	20	Issu	e Time: 180	0 hrs		R	evision No.	. 4			
Corridor	Date	Time Period (hrs)	Total Transfer (TTC)Reliability MarginAvailable Transfer Capability (ATC)Long Term Access (LTA)/MarginChanges in TTC Medium TermMarginChanges 									
W3 zone Injection	1st July 2020 to 31st July 2020	00-24	No limit is be	No limit is being specified (In case of any constraints appearing in the system, W3 zone export would be revised accordingly)								
	ATC of S1-(S2& ction in Monthly		dor, Import o	f S3(Kerala),	Import of Pu	njab and Import	of DD & DNH is	uploaded on	n NLDC website under Intra-			
	ent (50 % ) Count	/	nefit on accou	nt of LTA/MT	OA transaction	ns in the reverse di	irection would be o	considered for	r advanced transactions (Bilateral &			
	ng 400 kV Rihano n Rihand stage-III	U	•		0		ose of scheduling,	metering and	accounting and 950 MW ex-bus			
<ul> <li>2) W3 comp</li> <li>a) Chattisgard</li> <li>f) BALCO, g</li> <li>and any other</li> <li># The figure</li> <li>Fuel shortag</li> <li>In the eventue</li> <li>In case of TT</li> </ul>	rises of the follow h Sell transaction, ) Sterlite (#1,3,4), r regional entity ge is based on LTA, e/New units being ality that net sche IC Revision due t	ing regiona b) Jindal P h) NSPCL enerator in /MTOA ap g commissi edules exce to any shut	al entities : Power Limited ( , i) Korba, j) S Chhattisgarh oproved by CT ionned the LT eed ATC, real	(JPL) Stage-I & ipat, k) KSK M U and Allocat A/MTOA util time curtailme	t Stage-II, c) Jin Iahanadi, L)DE ion figures as p ized would van ents might be e	B Power, m) KWPC	er Limited (JSPL), CL, n)Vandana Vid EA. In actual Opera would factor this s	yut o)RKM, p) ation, due to U	LANCO Amarkantak )GMR Raikheda, q)Ind Barath Units being on Maintenance/ ay-ahead basis.			
<i>,</i>	value will be rev value willl be rev					ailed in real time.						
Real Time T	TC/ATC revision	is are uploa	aded on POSC	CO/NLDC "N	News Update" (	(Flasher) Section						
Ũ					- ·	TTC of WR-SR ar sures like SPS imp		has not been	restricted due to the same			
	rawl of Karnatak propiate measures		3800 MW, the	voltages in Be	engaluru area a	re observed to be c	critically low. This	issue may be	e taken care of by Karnataka SLDC			
SR-WR TTC Kudgi TPS.	C/ATC figures ha	ve been ca	lculated consid	lering 01 unit	(800 MW) at I	Kudgi TPS in servi	ice. The figures ar	e subject to ch	nange with change in generation at			
-	port of NR TTC h Pariccha TPS.	as been ca	lculated consid	dering generat	ion at Pariccha	TPS as 350 MW.	TTC figures are s	ubject to char	nge with significant change in			

Simultane	ous Import Capa	ability							
Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA)	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
		00-06	22450		21650	14334	7316		
		06-08	21500** 22450		20700** 21650	<u>13384**</u> 14723	6927		-
<b>NR</b> <sup>*</sup> 1st July 2020		00.00	21500** 20850		20700** 20050	13773** 14723	5227		
	1st July 2020	08-09	19900** 20850	800	19100** 20050	13773** 14723	5327		-
	09-17	19900**		19100**	13773**	5327			
		17-18	20850 19900**		20050 19100**	14723 13773**	5327		
		18-24	20850 19900**		20050 19100**	14334 13384**	5716		
		00-06	22450		21650	14334	7316		
		06-09	21500** 22450	800	20700** 21650	<u>13384**</u> 14723	6927		
NR <sup>*</sup>	2nd July 2020 to 31st July	09-17	21500** 22450		20700** 21650	<u>13773**</u> 14723	6927	-	
	2020	17-18	21500** 22450 21500**		20700** 21650 20700**	13773** 14723 13773**	6927		
		18-24	21500** 22450 21500**		20700** 21650 20700**	14334	7316		
		00-07	1080		1035	289	746		
		07-12	1080	1	1035	334	701		1
NER <sup>*</sup>	1st July 2020	12-18	1080	45	1035	334	701		]
		18-22	950	ļ	905	289	616		
		22-24	1080		1035	289	746		
		00-07	1080	ļ	1035	289	746		4
		07-08	1080		1035	334	701		Revised TTC due to day time
NER <sup>*</sup>	2nd July 2020	08-12	780	45	735	334	401	-300	shutdown of 400 kV
·		12-18	780	ł	735	334	401	-300	Bongaigaon-Byrnihat S/C
		18-22	700	ł	655	289	366	-250	4
		22-24	780		735	289	446	-250	

		00-07	1080		1035	289	746		
									4
	3rd July 2020	07-12	1080		1035	334	701		1
NER <sup>*</sup>	to 31st July	12-18	1080	45	1035	334	701		
	2020	18-22	950		905	289	616		
		22-24	1080		1035	289	746		
WR <sup>*</sup>									
		00-06	12600		11850	6698	5152	-300	
SR*#	1st July 2020	06-0930	12600	750	11850	6783	5067	-300	
5K*#		0930-18	11950		11200	6783	4417	-950	
		18-24	11950		11200	6698	4502	-950	
		00-06	12600		11850	6698	5152		Revision in TTC/ATC due to
	2nd July 2020	06-09	12600	750	12600	6783	5817		
	211d July 2020	09-18	11950	730	11200	6783	4417	-650	outage of 765/400 kV ICT-I at Maheshwaram
SR <sup>*#</sup>		18-24	11950		11200	6698	4502	-650	
	3rd July 2020	00-06	12900		12150	6698	5452		
	to 31st July	06-18	12900	750	12150	6783	5367		]
	2020	18-24	12900		12150	6698	5452		

\* Fifty Percent (50 %) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

\*\*Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.

\* For approving STOA Bilateral transactions, margin available in Simultaneous Import of NR would be apportioned on WR-NR Corridor & ER-NR Corridor in the following ratio:

Margin in Simultaneous import of NR = A WR-NR ATC =B ER-NR ATC = C

Margin for WR-NR applicants = A \* B/(B+C)Margin for ER-NR Applicants = A \* C/(B+C)

Real Time TTC/ATC revisions are uploaded on POSOCO/NLDC "News Update" (Flasher) Section

#Though 2X315 MVA, 400/220 kV ICTs at Maradam are N-1 non-compliant, the TTC of SR Import has not been restricted due to the same considering that this aspect will be managed by AP SLDC through appropriate measures like SPS implementation.

In case of drawl of Karnataka beyond 3800 MW, the voltages in Bengaluru area are observed to be critically low. This issue may be taken care of by Karnataka by taking appropriate measures.

WR-NR/Import of NR TTC has been calculated considering generation at Pariccha TPS as 350 MW. TTC figures are subject to change with significant change in generation at Pariccha TPS.

Corrido r	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA)	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
	<b>R</b> * 1st July 2020 to 31st July 2020	00-06	4500	4500 700	3800	388	3412		
NR*		06-18	4500		3800	1526	2274		
		18-24	4500		3800	388	3412		
		00-08	2150		2105	21	2084		
	1 ( 1 1 2020	08-18	2150	45	2105	21	2084		
NER*	1st July 2020	18-22	2300		2255	21	2234		
		22-24	2150		2105	21	2084		
		00-08	2150		2105	21	2084		Revised TTC due to day time shutdown of 400 k Bongaigaon-Byrnihat S/
NER*	2nd July 2020	08-18	1700	45	1655	21	1634	-450	
NEK.	211d July 2020	18-22	1850		1805	21	1784	-450	
		22-24	1700		1655	21	1634	-450	
		00-08	2150		2105	21	2084		
NER*	3rd July 2020 to 31st July	08-18	2150	45	2105	21	2084		
	2020	18-22	2300		2255	21	2234		
		22-24	2150		2105	21	2084		
WR*									
SR*^	1st July 2020 to 31st July 2020	00-24	3700	400	3300	1150	2150		

Real Time TTC/ATC revisions are uploaded on POSOCO/NLDC "News Update" (Flasher) Section

^SR Export TTC/ATC figures have been calculated considering 01 unit (800 MW) at Kudgi TPS in service. The figures are subject to change with change in generation at Kudgi TPS.

			Applicable Revision						
Corridor		Constraint							
	n-1 contingenc	ey of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line	Rev- 0						
WR-NR		cy of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT	Rev -1 to 4						
NR-ER	(n-1) continger	ncy of 400 kV Saranath-Pusauli	Rev- 0 to 4						
	1. N-1 conting	gency of 400 kV Mejia-Maithon A line will overload the other ckt.							
ER-NR	-	gency of 400 kV Kahalgaon-Banka line will overload the other ckt.	Rev- 0 to 4						
	3. N-1 conting	ency of 400kV MPL- Maithon line will overload the other ckt.							
WR-SR	n-1 contingenc	ey of one ckt of 765 kV Wardha - Nizamabad D/C will overload of the other ckt							
and ER- SR	n-1 contingenc	ey of one ckt of 765 kV Angul - Srikakulam D/C will overload of the other ckt	Rev- 0 to 4						
SK	Low Voltage a	t Gazuwaka (East) Bus.							
WR-SR	n 1 contineers	w of one 765/400 bV Ninemahad ICT will availand of ICT Lat Mahashwaram	Rev-03						
and ER- SR	n-1 conungenc	n-1 contingency of one 765/400 kV Nizamabad ICT will overload of ICT-I at Maheshwaram							
SR-WR	-	ency of one ckt of 400 kV Kolhapur-PG - Kolhapur-MS D/C will overload of the other ckt	Rev- 0 to 4						
		ency of 500 MVA ICT at 400 kV Kolhapur-MS will overload the other 2x315 MVA ICTs							
ER-NER		ingency of 400 kV Bongaigaon - Azara line ading of 220 kV Samaguri-Sonabil S/C (200 MW)	Rev- 0 to 4						
NER-ER		ingency of 400 kV Silchar- Azara line	Rev- 0 to 4						
ALIN-LIN	1 \ TT' 1 T								
	b) High Loa	ading of 400 kV Silchar-Killing Line							
W3 zone	b) High Los	ading of 400 kV Silchar-Killing Line	Rev- 0 to 4						
W3 zone Injection		ading of 400 kV Silchar-Killing Line							
W3 zone Injection			Rev- 0 to 4						
W3 zone Injection		<ul> <li>(Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> </ul>	Rev- 0 to 4						
W3 zone Injection		(Simultaneous) 1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.	Rev- 0 to 4 Applicable Revision						
W3 zone Injection		<ul> <li>(Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> </ul>	Rev- 0 to 4 Applicable Revision						
W3 zone Injection Limiting	Constraints	<ul> <li>(Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida</li> </ul>	Rev- 0 to 4 Applicable Revision Rev- 0 to 4						
W3 zone Injection	Constraints	<ul> <li>(Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> </ul>	Rev- 0 to 4          Applicable Revision         Rev- 0 to 4         Rev- 0						
W3 zone Injection Limiting	Constraints Import	<ul> <li>Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> <li>N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT</li> <li>(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.</li> </ul>	Rev- 0 to 4         Applicable Revision         Rev- 0 to 4         Rev- 0         Rev- 1 to 4						
W3 zone Injection	Constraints Constraints Import Export Import	i       (Simultaneous)         1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.         2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.         3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.         n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line         N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT         (n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.         (n-1) contingency of 400 kV Bongaigaon - Azara line	Rev- 0 to 4         Applicable Revision         Rev- 0 to 4         Rev- 0         Rev- 1 to 4         Rev- 0 to 4         Rev- 0 to 4						
W3 zone Injection Limiting	Constraints Import Export	<ul> <li>Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> <li>N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT</li> <li>(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.</li> <li>(n-1) contingency of 400 kV Bongaigaon - Azara line</li> <li>b) High Loading of 220 kV Samaguri-Sonabil S/C (200 MW)</li> </ul>	Rev- 0 to 4         Applicable Revision         Rev- 0 to 4         Rev- 0         Rev- 1 to 4         Rev- 0 to 4						
W3 zone Injection	Constraints Constraints Import Export Import	<ul> <li>I. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>I. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>I. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> <li>N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT</li> <li>(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.</li> <li>(n-1) contingency of 400 kV Bongaigaon - Azara line</li> <li>b) High Loading of 220 kV Samaguri-Sonabil S/C (200 MW)</li> <li>a) N-1 contingency of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar-Killing Line</li> <li>n-1 contingency of one ckt of 765 kV Wardha - Nizamabad D/C will overload of the other ckt</li> </ul>	Rev- 0 to 4         Applicable Revision         Rev- 0 to 4         Rev- 0         Rev- 1 to 4         Rev- 0 to 4         Rev- 0 to 4						
W3 zone Injection	Constraints Constraints Import Export Import	<ul> <li>i. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> <li>N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT</li> <li>(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.</li> <li>(n-1) contingency of 400 kV Saranath-Pusauli</li> <li>a) N-1 contingency of 400 kV Bongaigaon - Azara line</li> <li>b) High Loading of 220 kV Samaguri-Sonabil S/C (200 MW)</li> <li>a) N-1 contingency of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> </ul>	Rev- 0 to 4         Applicable Revision         Rev- 0 to 4         Rev- 0         Rev- 1 to 4         Rev- 0 to 4         Rev- 0 to 4						
W3 zone Injection	Constraints Constraints Import Export Export Import Import Import Import	<ul> <li>a (Simultaneous)</li> <li>1. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> <li>N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT</li> <li>(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.</li> <li>(n-1) contingency of 400 kV Saranath-Pusauli</li> <li>a) N-1 contingency of 400 kV Bongaigaon - Azara line</li> <li>b) High Loading of 220 kV Samaguri-Sonabil S/C (200 MW)</li> <li>a) N-1 contingency of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 000 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Silling Line</li> <li>n-1 contingency of one ckt of 765 kV Wardha - Nizamabad D/C will overload of the other ckt</li> <li>n-1 contingency of one ckt of 765 kV Angul - Srikakulam D/C will overload of the other ckt</li> </ul>	Rev- 0 to 4Applicable RevisionRev- 0 to 4Rev- 0 to 4Rev- 0Rev- 1 to 4Rev- 0 to 4						
W3 zone Injection	Constraints Constraints Import Export Import Export	<ul> <li>i. N-1 contingency of 400 kV Mejia-Maithon A line will overload the other ckt.</li> <li>2. N-1 contingency of 400 kV Kahalgaon-Banka line will overload the other ckt.</li> <li>3. N-1 contingency of 400kV MPL- Maithon line will overload the other ckt.</li> <li>n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overlaoding of 765 kV Aligarh - Gr. Noida Line</li> <li>N-1 contingency of 1000 MVA, 765/400 kV ICT at Orai will overload the other ICT</li> <li>(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak.</li> <li>(n-1) contingency of 400 kV Saranath-Pusauli</li> <li>a) N-1 contingency of 400 kV Bongaigaon - Azara line</li> <li>b) High Loading of 220 kV Samaguri-Sonabil S/C (200 MW)</li> <li>a) N-1 contingency of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> <li>b) High Loading of 400 kV Silchar- Azara line</li> </ul>	Rev- 0 to 4         Applicable Revision         Rev- 0 to 4         Rev- 0         Rev- 1 to 4         Rev- 0 to 4						

Revision No	Date of Revision	Period of Revision	Reason for Revision/Comment	Corridor Affected		
1	29th April 2020	Whole Month	Revision in TTC/ATC after after commissioning of 400 kV Aligarh (PG) - Prithala - Kadarpur - Sohna Road link and 765 kV Bikaner - Moga D/C	WR-NR/Import of NR		
2	28th May 2020	n May 2020 Whole Month Revision in STOA margin due to operationalization of MTOA from Rajasthan Solar to Maharashtra and MP				
			Revision in STOA margin due to change in LTA quantum from GIWEL_SECI-III_RE (Wind, Bhuj) to Punjab from 151.2 MW to 200 MW	WR-NR/Import of NR		
		Whole Month	Revision in STOA margin due to allocation of 20.75 MW power from Kameng HEP to UP, Haryana, Chhattisgarh and Goa	NER-ER/Export of NER/ER- NR/Import of NR		
		30th June 2020	Revision in TTC/ATC due to forced outage of 400/220 kV ICT-II at Jeypore	ER-SR/Import of SR		
3	29th June 2020	Whole Month	Revision in TTC/ATC due to the following:- a) Change in load-generation balance of NER b) Commissioning of one unit (1x150 MW) of Kameng HEP	NER-ER/ER- NER/Import & Export of NER		
		1st July 2020	Revision in TTC/ATC due to outage of 765/400 kV ICT-I at Maheshwaram	WR-SR/ER- SR/Import of SR		
		1st July 2020	Revision in TTC/ATC due to outage of 765 kV Gwalior - Agra -II	WR-NR/ER- NR/Import of NR		
4	30th June 2020	2nd July 2020	Revised TTC due to day time shutdown of 400 kV Bongaigaon-Byrnihat S/C	WR-NR/ER- NR/Import of NR		
4	50th Julie 2020	2110 July 2020	Revision in TTC/ATC due to outage of 765/400 kV ICT-I at Maheshwaram	WR-SR/ER- SR/Import of SR		

## National Load Despatch Centre Total Transfer Capability for July 2020

ASSUN	IPTIONS IN BASECASE				
				Month : July'2020	
S.No.	Name of State/Area		Load	Genera	ntion
		Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
I	NORTHERN REGION				
1	Punjab	10228	9530	4580	4618
2	Haryana	9146	9428	2953	2953
3	Rajasthan	10205	11428	6168	6168
4	Delhi	5674	6558	753	753
5	Uttar Pradesh	18102	15529	9903	9908
6	Uttarakhand	2144	1981	1060	1015
7	Himachal Pradesh	1562	1558	859	854
8	Jammu & Kashmir	3049	1686	1075	1017
9	Chandigarh	375	303	0	0
10	ISGS/IPPs	23	23	20932	19626
	Total NR	60510	58023	48283	46912
	EASTERN REGION				
1	Bihar	5380	4412	99	110
2	Jharkhand	1637	1024	425	421
3	Damodar Valley Corporation	3028	2466	4980	4180
4	Orissa	4823	3995	3952	2615
5	West Bengal	8541	7006	5659	4956
6	Sikkim	114	43	0	0
7	Bhutan	171	168	1474	1444
8	ISGS/IPPs	-171	-168	11907	10404
	Total ER	23523	18947	28495	24128
	WESTERN REGION				
1	Maharashtra	16912	14197	12996	9886
2	Gujarat	13683	8433	10325	6208
3	Madhya Pradesh	8253	5455	4058	2863
4	Chattisgarh	3890	3168	2239	2230
5	Daman and Diu	297	153	0	0
6	Dadra and Nagar Haveli	781	550	0	0
7	Goa-WR	513	326	0	0
8	ISGS/IPPs	4640	3609	33397	25451
	Total WR	48969	35891	63015	46638

S.No.	Name of State/Area		Load	Gener	ation
		Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
IV	SOUTHERN REGION				
1	Andhra Pradesh	9316	6695	6310	5934
2	Telangana	9937	9870	5913	4863
3	Karnataka	8351	4343	6606	3257
4	Tamil Nadu	14738	12867	8660	7460
5	Kerala	3683	2236	1649	423
6	Pondy	298	246	0	0
7	Goa-SR	58	48	0	0
8	ISGS/IPPs	0	0	14970	12179
	Total SR	46381	36305	44109	34117
V	NORTH-EASTERN REGION				
1	Arunachal Pradesh	111	70	18	16
2	Assam	1707	1346	295	245
3	Manipur	183	82	0	0
4	Meghalaya	269	198	237	142
5	Mizoram	99	66	68	42
6	Nagaland	120	75	22	16
7	Tripura	259	154	76	75
8	ISGS/IPPs	159	81	2385	2242
	Total NER	2907	2073	3101	2778
	Total All India	182131	151157	187003	154572