National Load Despatch Centre Total Transfer Capability for October 2018

Issue Date: 03rd October 2018

Issue Time: 1730 hrs

Revision No. 4

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA) #	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
	1.0.1	00-06				195	1805		
NR-WR*	1st October 2018 to 31st	06-18	2500	500	2000	250	1750		
	October 2018	18-24				195	1805		•
WR-NR*	1st October 2018 to 31st October 2018	00-24	12250 11300**	500	11750 10800**	9085 8135**	2665 2665**		
	1st October	00-06	2000		1800	193	1607		
NR-ER*	2018 to 31st	06-18	2000	200	1800	303	1497	-	
	October 2018 1st October	18-24	2000		1800	193	1607		
ER-NR*	2018 to 31st October 2018	00-24	5250	300	4950	3867	1083		
W3-ER	1st October 2018 to 31st October 2018	00-24				No limit is	being specified.		
ER-W3	1st October 2018 to 31st October 2018	00-24				No limit is	being specified.		
	1st October	00-05	5150		4650		115		
WR-SR	2018 to 31st October 2018	05-22	5150	500	4650	4535	115		+
		22-24	5150		4650		115		
SR-WR *	1st October 2018 to 31st October 2018	00-24				No limit is	being Specified.		
	1st October	00-06				2762	1338		
	2018 to 04th	06-18	4350	250	4100	2847	1253	-	
	October 2018	18-24				2762	1338		
	5th Ostahan	00-06	4350		4100	2762	1338		Deviced due to shutdown of 400LV
ER-SR	5th October 2018 to 8th	06-830	4350	250	4100	2847	1253		Revised due to shutdown of 400kV Jeypore-Gazuwaka-II and I (two
	October 2018	830-18	4050		3800	2847	953	-300	days each) on daily basis
		18-24	4050		3800	2762	1038	-300	
	9th October 2018 to 31st	00-06 06-18	4350	250	4100	2762 2847	1338 1253	-	
	October 2018	18-24	4550	250	4100	2762	1338		
SR-ER *	1st October 2018 to 31st October 2018	00-24	No limit is being Specified.						
		00.15	10.50		1007		000		
	1st October 2018 to 03rd	00-17 17-23	1250 1160	45	1205 1115	225	980 890	-	
	October 2018	23-24	1250	10	1205	225	980		
		00-09'	1250		1205		980		
ER-NER	4th October	09-17'	1030	45	985	225	760		-
	2018	17-23 23-24	930 1030		<u>885</u> 985		660 760		
	5th October	00-17	1250		1205		980		
	2018 to 31st	17-23	1160	45	1115	225	890		
	October 2018	23-24	1250		1205		980		

National Load Despatch Centre Total Transfer Capability for October 2018

Issue Date: 03rd October 2018

Issue Time: 1730 hrs

Revision No. 4

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA) #	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
	1st October	00-17	1750		1705		1705		
	2018 to 03rd	17-23	1890	45	1845	0	1845		
	October 2018	23-24	1750		1705		1705		
	4th October 2018	00-09'	1750	45	1705	0	1705		
NER-ER		09-17'	1370		1325		1325		
ILEN-EN		17-23	1480		1435		1435		
		23-24	1370		1325		1325		
	5th October	00-17	1750	45	1705	0	1705		
	2018 to 31st	17-23	1890		1845		1845		
	October 2018	23-24	1750		1705		1705		
W3 zone Injection 1st October 2018 to 31st October 2018 00-24 No limit is being specified (In case of any constraints appearing in the system, W3 zone export would be revised accordingly)									

Section in Monthly ATC.

* Fifty Percent (50%) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

**Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.

1) S1 comprises of Telangana, AP and Karnataka; S2 comprises of Tamil Nadu and Puducherry; S3 comprises Kerala

2) W3 comprises of the following regional entities :

a) Chattisgarh Sell transaction, b) Jindal Power Limited (JPL) Stage-I & Stage-II, c) Jindal Steel and Power Limited (JSPL), d) ACBL, e) LANCO Amarkantak f) BALCO, g) Sterlite (#1,3,4), h) NSPCL, i) Korba, j) Sipat, k) KSK Mahanadi, L)DB Power, m) KWPCL, n)Vandana Vidyut o)RKM, p)GMR Raikheda, q)Ind Barath and any other regional entity generator in Chhattisgarh

The figure is based on LTA/MTOA approved by CTU and Allocation figures as per RPCs RTA/REA. In actual Operation, due to Units being on Maintenance/ Fuel shortage/New units being commissionned the LTA/MTOA utilized would vary. RLDC/NLDC would factor this situation on day-ahead basis. In the eventuality that net schedules exceed ATC, real time curtailments might be effected by RLDCs/NLDC.

In case of TTC Revision due to any shutdown :

1) The TTC value will be revised to normal values after restoration of shutdown.

2) The TTC value willl be revised to normal values if the shutdown is not being availed in real time.

Simultaneous Import Capability

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA)	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
ER									
			16350		15550		2598		
		00-05	15400**		14600**		2598**		
	1st October		17500		16700	12952	3748		
NR	2018 to 31st October 2018	05-18	16550**	800	15750**	12002**	3748**		
	2010		16350		15550		2598		
		18-24	15400**		14600**		2598**		
	1st October	00-17	1250		1205		980		
	2018 to 3rd	17-23	1160	45	1115	225	890		
	October 2018	23-24	1250		1205		980		
	4th October 2018	00-09'	1250	45	1205		980		
NER		09-17'	1030 930		985 885	225	760		
		17-23 23-24	1030		885 985		660 760		
	5th October	00-17	1250		1205		980		
	2018 to 31st	17-23	1160	45	1115	225	890		
	October 2018	23-24	1250		1205		980		
WR									
		00-05	9500		8750	7298	1452		
	1-4 October	05-06	9500		8750	7298	1452		
	1st October 2018 to 4th	06-18	9500	750	8750	7383	1367		
	October 2018	18-22	9500	750	8750	7383	1452		
		22-24	9500		8750	7298	1452		
		00-05 05-06	9500 9500		8750 8750	7298 7298	1452 1452		
	5th October	06-830	9500		8750	7383	1367		Revised due to shutdown of 400kV Jeypore-
SR	2018 to 8th	830-18	9200	750	8450	7383	1067	-300	Gazuwaka-II and I (two
	October 2018	18-22	9200		8450	7298	1152	-300	days each) on daily basis
		22-24	9200		8450	7298	1152	-300	
		00-05	9500		8750	7298	1452		
	9th October	05-06	9500		8750	7298	1452		
	2018 to 31st	06-18	9500	750	8750	7383	1367		
	October 2018	18-22	9500		8750	7298	1452		
		22-24	9500		8750	7298	1452		

* Fifty Percent (50 %) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

**Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.

* For approving STOA Bilateral transactions, margin available in Simultaneous Import of NR would be apportioned on WR-NR Corridor & ER-NR Corridor in the following ratio: Margin in Simultaneous import of NR = A

Margin in Simultaneous import of NR = A WR-NR ATC =B ER-NR ATC = C

Margin for WR-NR applicants = A * B/(B+C)Margin for ER-NR Applicants = A * C/(B+C)

Simultaneous Export Capability

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA)	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
		00-06	4500		3800	388	3412		
NR*	1st October 2018 to 31st October 2018	06-18	4500	700	3800	553	3247		
		18-24	4500		3800	388	3412		
	1st October	00-17	1750		1705	0	1705		
	2018 to 3rd	17-23	1890	45	1845		1845		
	October 2018	23-24	1750		1705		1705		
		00-09'	1750		1705	0	1705		
NER	4th October	09-17'	1370	45	1325		1325		
IVEN	2018	17-23	1480		1435		1435		
		23-24	1370		1325		1325		
	5th October	00-17	1750		1705		1705		
	2018 to 31st	17-23	1890	45	1845	0	1845		
	October 2018	23-24	1750		1705		1705		
WR									
SR *	1st October 2018 to 31st October 2018	00-24	No limit is being Specified.						

* Fifty Percent (50 %) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

Limiting Constraints (Corridor wise)

		Applicable Revisions
Corridor	Constraint	
NR-WR	(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak	Rev-0 to 4
WR-NR	(n-1) Contingnecy of 765kV Aligarh-Jhatikara leads to 2500 MW loading on 765kV Aligarh-Greater Noida.	Rev- 0 to 4
WK-INK	Frequent tripping of HVDC Champa - Kurukshetra poles	Rev-0 to4
NR-ER	(n-1) contingency of 400 kV Saranath-Pusauli	Rev-0 to 4
ER-NR	 N-1 contingencies of 400 kv Mejia-Maithon A S/c N-1 contingencies of 400 kv Kahalgaon-Banka S/c N-1 contingencies of 400kV MPL- Maithon S/C 	Rev-0 to 4
WR-SR and ER-	n-1 contingency of 2x315 MVA,400/220 kV ICTs at Mardam will lead to overloading of the second ICT	Rev-2-4
SR	Low Voltage at Gazuwaka (East) Bus.	Rev-0 to 4
	a. (n-1) contingency of 400/220 kV, 2x315 MVA ICTs at Misa b. High loading of 220 kV Balipara-Sonabil line(200 MW)	Rev-0 to 4
NER-ER	(n-1) contingency of 400/220 kV, 2x315 MVA ICTs at Misa results in high loading of other ICT at Misa	Rev-0 to 4
W3 zone Injection		Rev-0 to 4

Limiting Constraints (Simultaneous)

U			Applicable Revisions
	Import	 N-1 contingencies of 400 kv Mejia-Maithon A S/c N-1 contingencies of 400 kv Kahalgaon-Banka S/c N-1 contingencies of 400kV MPL- Maithon S/c 	Rev-0 to 4
NR		(n-1) Contingnecy of 765kV Aligarh-Jhatikara leads to 2500 MW loading on 765kV Aligarh-Greater Noida. Frequent tripping of HVDC Champa - Kurukshetra poles	Rev-0 to 4 Rev-0 to 4
	Export	(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak. (n-1) contingency of 400 kV Saranath-Pusauli	Rev-0 to 4
NER	Import	a. (n-1) contingency of 400/220 kV, 2x315 MVA ICTs at Misa b. High loading of 220 kV Balipara-Sonabil line(200 MW)	Rev-0 to 4
	Export	(n-1) contingency of 400/220 kV, 2x315 MVA ICTs at Misa results in high loading of other ICT at Misa	Rev-0 to 4
SR	Import	n-1 contingency of 2x315 MVA,400/220 kV ICTs at Mardam will lead to overloading of the second ICT	Rev- 2-4
		Low Voltage at Gazuwaka (East) Bus.	Rev-0 to 4

National Load Despatch Centre Total Transfer Capability for October 2018

Revision No	Date of Revision	Period of Revision	Reason for Revision/Comment	Corridor Affected		
			Revised STOA margins due to: (a) 40 MW allocation to MP from NR ISGS (b) 100 MW allocation to Chattisgarh from Kishanganga NR			
1	1st August 2018	Whole Month	Revised STOA margin due to change in LTA/MTOA	WR-NR/ER- NR/Import of NR		
			Revised STOA margins due to revocation of 500 MW LTA from Ind-bharat	ER- SR/Import of SR		
2	27th	Whole Month	Revised STOA margin due to change in LTA/MTOA			
	September		Revised due to change in load generation balance and network conditions and change in pattern of inter-regional flow towards NR	WR- NR/Import of NR		
3	02nd October 2018	04th October 2018	Revised due to shutdown of 400 kV Bongaigaon -Byrnihat Line	ER-NER/NER- ER/NER Export/Impo rt		
4	03rd October 2018	05th October 2018 to 08th October 2018	Revised due to shutdown of 400kV Jeypore-Gazuwaka-II and I (two days each) on daily basis	ER- SR/Import of SR		

ASSUN	IPTIONS IN BASECASE				
				Month : October'18	
S.No.	Name of State/Area	Load		Generation	
		Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
I	NORTHERN REGION				
1	Punjab	10474	9326	5458	5426
2	Haryana	8627	7492	2765	2445
3	Rajasthan	9370	9169	5305	5784
4	Delhi	5806	5589	1075	1099
5	Uttar Pradesh	15893	14651	9512	9412
6	Uttarakhand	2117	1848	1083	1145
7	Himachal Pradesh	1503	1203	1107	883
8	Jammu & Kashmir	2799	1692	1514	785
9	Chandigarh	344	220	0	0
10	ISGS/IPPs	24	24	20279	15055
	Total NR	56958	51211	48099	42035
П	EASTERN REGION				
1	Bihar	4087	2852	310	200
2	Jharkhand	1171	873	364	225
3	Damodar Valley Corporation	2925	2668	5264	4225
4	Orissa	4009	3194	2539	2192
5	West Bengal	8603	5717	5360	4272
6	Sikkim	84	84	0	0
7	Bhutan	212	218	1592	1526
8	ISGS/IPPs	265	259	11202	8824
	Total ER	21357	15866	26631	21464
	WESTERN REGION				
1	Maharashtra	16834	13516	11885	9571
2	Gujarat	14542	13186	7379	7074
3	Madhya Pradesh	9729	7523	4011	3862
4	Chattisgarh	4171	3477	2999	2383
5	Daman and Diu	333	295	0	0
6	Dadra and Nagar Haveli	804	728	0	0
7	Goa-WR	516	373	0	0
8	ISGS/IPPs	4170	3476	39160	31931
	Total WR	51098	42575	65434	54821

S.No.	Name of State/Area	Load		Generation	
		Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
IV	SOUTHERN REGION				
1	Andhra Pradesh	8103	6984	5903	3947
2	Telangana	8305	8102	4447	4177
3	Karnataka	9352	5764	6477	4630
4	Tamil Nadu	14096	12115	8411	7493
5	Kerala	3673	2434	1564	283
6	Pondy	373	371	0	0
7	Goa-SR	84	84	0	0
8	ISGS/IPPs	0	0	11055	9542
	Total SR	43986	35853	37857	30072
V	NORTH-EASTERN REGION				
1	Arunachal Pradesh	123	74	0	0
2	Assam	1318	1292	307	196
3	Manipur	171	95	0	0
4	Meghalaya	267	194	313	214
5	Mizoram	99	68	8	8
6	Nagaland	129	78	22	12
7	Tripura	205	117	61	59
8	ISGS/IPPs	159	131	1963	1784
	Total NER	2471	2049	2674	2273
	Total All India	176311	147947	182392	152286