




POWER SYSTEM OPERATION CORPORATION LIMITED
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

DURGAPUR:Frequency

National Grid Frequency Profile for

03-Jun-16



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	0.00	15.68	50.34	1.90	13.78	54.13	29.35	0.83	75.10	100.00	33.13	8.39	30.17	16.54	9.21	0.00

Average Frequency	49.96	Frequency Variation Index :	0.058	Standard Deviation :	0.067
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

Instantaneous Frequency		
Max	50.14	6:02:10
Min	49.73	12:47:50

15 minute average Frequency		
Max	50.037	6:15:00
Min	49.791	12:30:00

No. of excursion above 50.03 Hz	83
No. of excursion below 49.97 Hz	158
No. of excursion above 50.00 Hz	125
No. of excursion below 50.00 Hz	123

Average time freq remains below 49.97 per excursion	0:04:35	Average time frequency remains above 50.03 per excursion	0:02:52
---	---------	--	---------