




**POWER SYSTEM OPERATION CORPORATION LIMITED**  
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

DURGAPUR:Frequency

National Grid Frequency Profile for

09-Aug-15



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	0.14	9.62	31.85	1.71	7.77	40.00	46.08	3.88	70.57	99.43	37.15	15.59	50.35	31.00	19.81	0.43

<b>Average Frequency</b>	<b>49.99</b>	<b>Frequency Variation Index :</b>	<b>0.056</b>	<b>Standard Deviation :</b>	<b>0.074</b>
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

Instantaneous Frequency		
Max	50.23	18:01:00
Min	49.68	22:06:00

15 minute average Frequency		
Max	50.141	18:15:00
Min	49.774	21:15:00

No. of excursion above 50.03 Hz	126
No. of excursion below 49.97 Hz	113
No. of excursion above 50.00 Hz	163
No. of excursion below 50.00 Hz	160

Average time freq remains below 49.97 per excursion	0:04:04	Average time frequency remains above 50.03 per excursion	0:03:33
---	---------	--	---------