




POWER SYSTEM OPERATION CORPORATION LIMITED
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

DURGAPUR:Frequency

National Grid Frequency Profile for

10-Mar-16



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	0.02	18.28	53.99	1.54	16.71	52.22	26.82	2.64	71.17	99.93	28.94	7.93	29.44	17.07	10.56	0.05

Average Frequency	49.96	Frequency Variation Index :	0.065	Standard Deviation :	0.071
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

Instantaneous Frequency		
Max	50.22	18:02:10
Min	49.69	18:56:50

15 minute average Frequency		
Max	50.054	22:00:00
Min	49.825	19:00:00

No. of excursion above 50.03 Hz	76
No. of excursion below 49.97 Hz	131
No. of excursion above 50.00 Hz	118
No. of excursion below 50.00 Hz	117

Average time freq remains below 49.97 per excursion	0:05:56	Average time frequency remains above 50.03 per excursion	0:03:14
--	----------------	---	----------------