

**National Load Despatch Centre
Total Transfer Capability for December 2019**

Issue Date: 28th August 2019

Issue Time: 1800 hrs

Revision No. 0

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA) #	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
NR-WR*	1st December 2019 to 31st December 2019	00-06	2500	500	2000	195	1805		
		06-18				250	1750		
		18-24				195	1805		
WR-NR*	1st December 2019 to 31st December 2019	00-24	13500	500	13000	10067	2933		
			12550**		12050**	9117**	2933**		
NR-ER*	1st December 2019 to 31st December 2019	00-06	2000	200	1800	193	1607		
		06-18	2000		1800	303	1497		
		18-24	2000		1800	193	1607		
ER-NR*	1st December 2019 to 31st December 2019	00-24	5250	300	4950	4044	906		
W3-ER	1st December 2019 to 31st December 2019	00-24	No limit is being specified.						
ER-W3	1st December 2019 to 31st December 2019	00-24	No limit is being specified.						
WR-SR	1st December 2019 to 31st December 2019	00-05	5550	500	5050	3888	1162		
		05-22	5550		5050		1162		
		22-24	5550		5050		1162		
SR-WR *	1st December 2019 to 31st December 2019	00-24	No limit is being Specified.						
ER-SR	1st December 2019 to 31st December 2019	00-06	4950	250	4700	2748	1952		
		06-18				2833	1867		
		18-24				2748	1952		
SR-ER *	1st December 2019 to 31st December 2019	00-24	No limit is being Specified.						
ER-NER	1st December 2019 to 31st December 2019	00-17	1588	45	1543	310	1233		
		17-23	1244		1199		889		
		23-24	1588		1543		1233		
NER-ER	1st December 2019 to 31st December 2019	00-17	2837	45	2792	0	2792		
		17-23	2831		2786		2786		
		23-24	2837		2792		2792		

National Load Despatch Centre
Total Transfer Capability for December 2019

Issue Date: 28th August 2019

Issue Time: 1800 hrs

Revision No. 0

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA) #	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
W3 zone Injection	1st December 2019 to 31st December 2019	00-24	No limit is being specified (In case of any constraints appearing in the system, W3 zone export would be revised accordingly)						

Note: TTC/ATC of S1-(S2&S3) corridor, Import of S3(Kerala), Import of Punjab and Import of DD & DNH is uploaded on NLDC website under Intra-Regional Section in Monthly ATC.

* Fifty Percent (50 %) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

**Considering 400 kV Rihand stage-III - Vindhyaachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.

1) S1 comprises of Telangana, AP and Karnataka; S2 comprises of Tamil Nadu and Puducherry; S3 comprises Kerala

2) W3 comprises of the following regional entities :

a) Chattisgarh Sell transaction, b) Jindal Power Limited (JPL) Stage-I & Stage-II, c) Jindal Steel and Power Limited (JSPL), d) ACBL, e) LANCO Amarkantak
f) BALCO, g) Sterlite (#1,3,4), h) NSPCL, i) Korba, j) Sipat, k) KSK Mahanadi, L)DB Power, m) KWPCCL, n)Vandana Vidyut o)RKM, p)GMR Raikheda, q)Ind Barath
and any other regional entity generator in Chhattisgarh

The figure is based on LTA/MTOA approved by CTU and Allocation figures as per RPCs RTA/REA. In actual Operation, due to Units being on Maintenance/ Fuel shortage/New units being commissioned the LTA/MTOA utilized would vary. RLDC/NLDC would factor this situation on day-ahead basis.

In the eventuality that net schedules exceed ATC, real time curtailments might be effected by RLDCs/NLDC.

In case of TTC Revision due to any shutdown :

1) The TTC value will be revised to normal values after restoration of shutdown.

2) The TTC value will be revised to normal values if the shutdown is not being availed in real time.

Simultaneous Import Capability

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA)	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
ER									
NR	1st December 2019 to 31st December 2019	00-06	18500	800	17700	14111	3589		
			17550**		16750**		3589**		
		06-09	19850		19050		4939		
			18900**		18100**		4939**		
		09-17	18500		17700		3589		
			17550**		16750**		3589**		
17-24	18000	17200	3089						
		17050**	16250**	3089**					
NER	1st December 2019 to 31st December 2019	00-17	1588	45	1543	310	1233		
		17-23	1244		1199		889		
		23-24	1588		1543		1233		
WR									
SR	1st December 2019 to 31st December 2019	00-06	10500	750	9750	6636	3114		
		06-18	10500		9750	6721	3029		
		18-24	10500		9750	6636	3114		

* Fifty Percent (50 %) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

**Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.

* For approving STOA Bilateral transactions, margin available in Simultaneous Import of NR would be apportioned on WR-NR Corridor & ER-NR Corridor in the following ratio:

Margin in Simultaneous import of NR = A

WR-NR ATC =B

ER-NR ATC = C

Margin for WR-NR applicants = $A * B/(B+C)$

Margin for ER-NR Applicants = $A * C/(B+C)$

Simultaneous Export Capability

Corridor	Date	Time Period (hrs)	Total Transfer Capability (TTC)	Reliability Margin	Available Transfer Capability (ATC)	Long Term Access (LTA)/ Medium Term Open Access (MTOA)	Margin Available for Short Term Open Access (STOA)	Changes in TTC w.r.t. Last Revision	Comments
NR*	1st December 2019 to 31st December 2019	00-06	4500	700	3800	388	3412		
		06-18			3800	553	3247		
		18-24	4500		3800	388	3412		
NER	1st December 2019 to 31st December 2019	00-17	2837	45	2792	0	2792		
		17-23	2831		2786		2786		
		23-24	2837		2792		2792		
WR									
SR *	1st December 2019 to 31st December 2019	00-24	No limit is being Specified.						

* Fifty Percent (50 %) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

Limiting Constraints (Corridor wise)

		Applicable Revisions
Corridor	Constraint	
NR-WR	(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Bhanpura-Modak	Rev-0
WR-NR	n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overloading of 765 kV Aligarh - Gr. Noida Line	Rev-0
NR-ER	(n-1) contingency of 400 kV Saranath-Pusauli	Rev-0
ER-NR	1. N-1 contingencies of 400 kv Mejia-Maithon A S/C 2. N-1 contingencies of 400 kv Kahalgaon-Banka S/C 3. N-1 contingencies of 400kV MPL- Maithon S/C	Rev-0
WR-SR and ER-SR	n-1 contingency of 2x315 MVA, 400/220 kV ICTs at Mardam will lead to overloading of the second ICT	Rev-0
	n-1 contingency of 2x1500 MVA, 765/400 kV ICTs at Vemagiri (PG) will lead to overloading of the second ICT	Rev-0
	Low Voltage at Gazuwaka (East) Bus.	Rev-0
ER-NER	a. (n-1) contingency of 400/220 kV, 2x500 MVA ICTs at Misa b. High Loading of 220 kV Salakati-BTPS Double circuit (200 MW)	Rev-0
NER-ER	a. N-1 contingency of 400 kV Silchar- Azara Line b. High Loading of 400 kV Bongaigaon-Killing line	Rev-0
W3 zone Injection	---	Rev-0

Limiting Constraints (Simultaneous)

			Applicable Revisions
NR	Import	1. N-1 contingencies of 400 kv Mejia-Maithon A S/C 2. N-1 contingencies of 400 kv Kahalgaon-Banka S/C 3. N-1 contingencies of 400kV MPL- Maithon S/C	Rev-0
		n-1 contingency of 765 kV Aligarh - Jhatikara Line will lead to overloading of 765 kV Aligarh - Gr. Noida Line	Rev-0
	Export	(n-1) contingency of 400kV Zerda-Bhinmal and (n-1) contingency of 220kV Badod-Modak. (n-1) contingency of 400 kV Saranath-Pusauli	Rev-0
NER	Import	a. (n-1) contingency of 400/220 kV, 2x500 MVA ICTs at Misa b. High Loading of 220 kV Salakati-BTPS Double circuit (200 MW)	Rev-0
	Export	a. N-1 contingency of 400 kV Silchar- Azara Line b. High Loading of 400 kV Bongaigaon-Killing line	Rev-0
SR	Import	n-1 contingency of 2x315 MVA, 400/220 kV ICTs at Mardam will lead to overloading of the second ICT	Rev-0
		n-1 contingency of 2x1500 MVA, 765/400 kV ICTs at Vemagiri (PG) will lead to overloading of the second ICT	Rev-0
		Low Voltage at Gazuwaka (East) Bus.	Rev-0

**National Load Despatch Centre
Total Transfer Capability for December 2019**

Revision No	Date of Revision	Period of Revision	Reason for Revision/Comment	Corridor Affected

ASSUMPTIONS IN BASECASE					
				Month : December'19	
S.No.	Name of State/Area	Load		Generation	
		Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
I	NORTHERN REGION				
1	Punjab	7977	6899	4008	3820
2	Haryana	7790	6011	1734	1734
3	Rajasthan	12153	12298	8096	8093
4	Delhi	4983	2942	718	718
5	Uttar Pradesh	14092	13018	6200	6051
6	Uttarakhand	2024	1656	764	398
7	Himachal Pradesh	1531	1094	279	197
8	Jammu & Kashmir	2344	2327	575	542
9	Chandigarh	304	172	0	0
10	ISGS/IPPs	27	27	19267	12445
	Total NR	53225	46445	41640	33997
II	EASTERN REGION				
1	Bihar	4897	3256	168	161
2	Jharkhand	1228	949	369	319
3	Damodar Valley Corporation	2800	2851	4652	3775
4	Orissa	4145	2887	2847	2178
5	West Bengal	7399	5531	5024	3823
6	Sikkim	242	298	0	0
7	Bhutan	183	180	336	281
8	ISGS/IPPs	641	644	12884	9320
	Total ER	21535	16597	26279	19856
III	WESTERN REGION				
1	Maharashtra	18000	15576	14005	12734
2	Gujarat	14422	14167	8700	10119
3	Madhya Pradesh	13071	10461	5848	5042
4	Chattisgarh	4019	3534	2670	2520
5	Daman and Diu	325	321	0	0
6	Dadra and Nagar Haveli	807	733	0	0
7	Goa-WR	522	463	0	0
8	ISGS/IPPs	5119	4604	42069	35989
	Total WR	56284	49859	73293	66404

S.No.	Name of State/Area	Load		Generation	
		Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
IV	SOUTHERN REGION				
1	Andhra Pradesh	10126	7849	6911	5245
2	Telangana	11656	7173	4899	4314
3	Karnataka	9505	5951	7902	4423
4	Tamil Nadu	14273	11462	6397	5897
5	Kerala	3361	2243	1475	157
6	Pondy	333	309	0	0
7	Goa-SR	65	60	0	0
8	ISGS/IPPs	0	0	18497	12129
	Total SR	49319	35047	46081	32166
V	NORTH-EASTERN REGION				
1	Arunachal Pradesh	123	70	0	0
2	Assam	1576	1047	204	176
3	Manipur	223	105	0	0
4	Meghalaya	331	257	144	33
5	Mizoram	99	69	36	28
6	Nagaland	119	79	16	0
7	Tripura	220	139	93	93
8	ISGS/IPPs	138	85	2271	1863
	Total NER	2828	1849	2764	2193
	Total All India	183191	149797	190057	154617