# National Load Despatch Centre Total Transfer Capability for Oct 2022

Issue Date:Sep 29 2022 Issue Time:15:59:28 **Revision No:5** Margin **Available Long Term Chnages Total Available** Time Reliability Access(LTA)/Medium **For Short** w.r.t. **Corridor Date** Transfer Transfer Comment Margin(RM) Capability(ATC) Period(hrs) Capability(TTC) Term Term **Previous** Revision Open Access(MTOA) Open Access(STOA) Change in 00:00 to Load-455 1620 60 1560 1105 01 17:00 Generation Oct of NER **ER-NER** to 17:00 to 31 1415 60 1355 455 900 21:00 Oct 21:00 to 1620 60 1560 455 1105 24:00 Due to forced outage of 765 kV Agra -Gwalior-1& 01 00:00 to 7700 400 7300 4854 2446 -300 the Oct 09:30 shutdown of to 765 kV 01 Oct Jabalpur -ER-NR Vindhyanchal - 2 09:30 to 7300 400 6900 4854 2046 -700 24:00 02 Due to Oct forced 00:00 to 7700 400 7300 4854 2446 -300 outage of to 24:00 765 kV Agra -31 Oct Gwalior-1 00:00 to 5700 350 5350 3250 2100 0 01 06:00 Oct 06:00 to ER-SR 350 0 5700 5350 3316 2034 to 18:00 31 18:00 to Oct 5700 350 5350 3250 2100 0 24:00 01 Oct 00:00 to ER-W3 No limit is being specified. to 24:00 31 Oct Change in 00:00 to Load-2860 60 2800 258 2542 01 Generation 17:00 Oct of NER NER-ER to 17:00 to 31 2770 60 2710 258 2452 21:00 Oct 21:00 to 2860 60 2800 258 2542 24:00 00:00 to 2000 200 1800 100 1700 0 01 06:00 Oct 06:00 to NR-ER to 2000 200 1800 1615 185 0 18:00 31 18:00 to Oct 200 2000 1800 100 1700 0 24:00

about:blank 1/9

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	Long Term Access(LTA)/Medium Term Open Access(MTOA)	Margin Available For Short Term Open Access(STOA)	Chnages w.r.t. Previous Revision	Comment
	01 Oct	00:00 to 06:00	3600	500	3100	1232	1868	0	
NR-WR	to 31	06:00 to 18:00	3600	500	3100	4568	0	0	
	Oct	18:00 to 24:00	3600	500	3100	1232	1868	0	
SR-ER	01 Oct to 31 Oct	00:00 to 24:00			No lir	nit is being specified.			
	01	00:00 to 06:00	7400	650	6750	852	5898	0	
SR-WR	31 Oct	06:00 to 18:00	7400	650	6750	1052	5698	0	
		18:00 to 24:00	7400	650	6750	852	5898	0	
W3 Injection	O1 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA		0	
W3-ER	O1 Oct to 31 Oct	00:00 to 24:00		No limit is being specified.					
	01 Oct to 01 Oct	00:00 to 06:00	16950	1000	15950	11106	4844	-850	Due to forced outage of 765 kV Agra - Gwalior- 1 & the shutdown of 765 kV Jabalpur - Vindhyanchal
		06:00 to 09:30	16950	1000	15950	11405	4545	-850	
WR-NR		09:30 to 18:00	16250	1000	15250	11405	3845	-1550	
		18:00 to 24:00	16250	1000	15250	11106	4144	-1550	
	02 Oct to	00:00 to 06:00	16950	1000	15950	11106	4844	-850	Due to forced outage of 765 kV Agra - Gwalior- 1
	31 Oct	06:00 to 18:00	16950	1000	15950	11405	4545	-850	
		18:00 to 24:00	16950	1000	15950	11106	4844	-850	
WR-SR	01 Oct	00:00 to 06:00	11600	650	10950	3598	7352	0	

about:blank

2/9

Corridor	to 31 Oct <b>Date</b>	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	Long Term Access(LTA)/Medium Term Open Access(MTOA)	Margin Available For Short Term Open Access(STOA)	Chnages w.r.t. Previous Revision	Comment
		06:00 to 18:00	11600	650	10950	4560	6390	0	
		18:00 to 24:00	11600	650	10950	3598	7352	0	

- \* Fifty Percent (50 % ) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).
- \*\*Considering 400 kV Rihand stage-III Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.
- 1) S1 comprises of Telangana, AP and Karnataka; S2 comprises of Tamil Nadu and Puducherry; S3 comprises Kerala 2) W3 comprises of the following regional entities: a) Chattisgarh Sell transaction, b) Jindal Power Limited (JPL) Stage-I & Stage-II, c) Jindal Steel and Power Limited (JSPL), d) ACBL, e) LANCO Amarkantak f) BALCO, g) Sterlite (#1,3,4), h) NSPCL, i) Korba, j) Sipat, k) KSK Mahanadi, L)DB Power, m) KWPCL, n)Vandana Vidyut o)RKM, p)GMR Raikheda, q)Ind Barath and any other regional entity generator in Chhattisgarh
- # The figure is based on LTA/MTOA approved by CTU and Allocation figures as per RPCs RTA/REA. In actual Operation, due to Units being on Maintenance/ Fuel shortage/New units being commissionned the LTA/MTOA utilized would vary. RLDC/NLDC would factor this situation on day-ahead basis. In the eventuality that net schedules exceed ATC, real time curtailments might be effected by RLDCs/NLDC.

In case of TTC Revision due to any shutdown: 1) The TTC value will be revised to normal values after restoration of shutdown. 2) The TTC value will be revised to normal values if the shutdown is not being availed in real time.

Real Time TTC/ATC revisions are uploaded on POSOCO/NLDC "News Update" (Flasher) Section

^Though 3X315 MVA, 400/220 kV ICTs at Maradam are N-1 non-compliant, the TTC of WR-SR and ER-SR corridor has not been restricted due to the same considering that this aspect will be managed by AP SLDC through appropriate measures like SPS implementation.

^In case of drawl of Karnataka beyond 3800 MW, the voltages in Bengaluru area are observed to be critically low. This issue may be taken care of by Karnataka SLDC by taking appropriate measures.

SR-WR TTC/ATC figures have been calculated considering 01 unit (800 MW) at Kudgi TPS in service. The figures are subject to change with change in generation at Kudgi TPS.

WR-NR/Import of NR TTC has been calculated considering generation at Pariccha TPS as 350 MW. TTC figures are subject to change with significant change in generation at Pariccha TPS..

### **Simultaneous Import Capability**

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	iranster	Long Term Access(LTA)/Medium Term Open Access(MTOA)	Chnages w.r.t. Previous Revision	Comment
ER	O1 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA	0	

about:blank 3/9

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	Long Term Access(LTA)/Medium Term Open Access(MTOA)	Margin Available For Short Term Open Access(STOA)	Chnages w.r.t. Previous Revision	Comment							
NED	01 Oct	00:00 to 17:00	1120	60	1060	455	605		Change in Load- Generation of NER							
NER	to 31 Oct	17:00 to 21:00	915	60	855	455	400									
		21:00 to 24:00	1120	60	1060	455	605									
	01 Oct to 01 Oct	00:00 to 06:00	24650	1400	23250	15960	7290	-1150	Due to forced outage of 765 kV Agra - Gwalior- 1 & the shutdown of 765 kV Jabalpur - Vindhyanchal - 2							
	02 Oct	02 Oct	02	02 Oct	02 Oct	06:00 to 09:30	24650	1400	23250	16259	6991	-1150				
NR						Oct	Oct to	09:30 to 18:00	23550	1400	22150	16259	5891	-2250		
								18:00 to 24:00	23550	1400	22150	15960	6190	-2250		
								Oct	Oct to	Oct to	Oct to	Oct to	Oct to	Oct to	Oct to	00:00 to 06:00
	31 Oct	06:00 to 18:00	24650	1400	23250	16259	6991	-1150								
		18:00 to 24:00	24650	1400	23250	15960	7290	-1150								
	01	00:00 to 06:00	17300	1000	16300	6848	9452	0								
SR	Oct to 31	06:00 to 18:00	17300	1000	16300	7876	8424	0								
	Oct	18:00 to 24:00	17300	1000	16300	6848	9452	0								
WR	Oct to 31 Oct	00:00 to 24:00	NA	NA			0	0								

<sup>\*</sup> Fifty Percent (50 % ) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

Real Time TTC/ATC revisions are uploaded on POSOCO/NLDC "News Update" (Flasher) Section

<sup>\*\*</sup>Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.

<sup>\*</sup> For approving STOA Bilateral transactions, margin available in Simultaneous Import of NR would be apportioned on WR-NR Corridor & ER-NR Corridor in the following ratio: Margin in Simultaneous import of NR = A WR-NR ATC = B ER-NR ATC = C Margin for WR-NR applicants = A \* B/(B+C) Margin for ER-NR Applicants = A \* C/(B+C)

#Though 2X315 MVA, 400/220 kV ICTs at Maradam are N-1 non-compliant, the TTC of SR Import has not been restricted due to the same considering that this aspect will be managed by AP SLDC through appropriate measures like SPS implementation

In case of drawl of Karnataka beyond 3800 MW, the voltages in Bengaluru area are observed to be critically low. This issue may be taken care of by Karnataka by taking appropriate measures.

WR-NR/Import of NR TTC has been calculated considering generation at Pariccha TPS as 350 MW. TTC figures are subject to change with significant change in generation at Pariccha TPS..

#### **Simultaneous Export Capability**

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	Long Term Access(LTA)/Medium Term Open Access(MTOA)	Margin Available For Short Term Open Access(STOA)	Chnages w.r.t. Previous Revision	Comment						
ER	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA		0							
NED	01 Oct to	00:00 to 17:00	3360	60	3300	258	3042		Change in Load- Generation of NER						
NER	31 Oct		17:00 to 21:00	3270	60	3210	258	2952							
		21:00 to 24:00	3360	60	3300	258	3042								
	01	00:00 to 06:00	3600	500	3100	1332	1768	0							
NR	Oct to 31	06:00 to 18:00	3600	500	3100	6183	0	0							
	Oct	18:00 to 24:00	3600	500	3100	1332	1768	0							
	01	00:00 to 06:00	6350	650	5700	1944	3756	0							
SR	Oct to 31 Oct	Oct to 31	Oct to 31	Oct to	Oct to	Oct to	Oct to	06:00 to 18:00	6350	650	5700	2294	3406	0	
				18:00 to 24:00	6350	650	5700	1944	3756	0					
WR	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA		0							

<sup>\*</sup> Fifty Percent (50 % ) Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for advanced transactions (Bilateral & First Come First Serve).

Real Time TTC/ATC revisions are uploaded on POSOCO/NLDC "News Update" (Flasher) Section

## **Limiting Constraints**

Corridor	Constraints	Revisions
WR-NR	N-1 contingency of one ckt of 765 kV Vindhyachal-Varanasi will overload the other circuit	0-5
NR-ER	(n-1) contingency of 400 kV Saranath-Pusauli	0-5
ER-NR	Inter-regional flow pattern towards NR	0-5
WR-SR	N-1 of one ICT of 765/400 kV, 1500 MVA ICT at Nizamabad will overload the other ICT	0-5

about:blank 5/9

<sup>^</sup>SR Export TTC/ATC figures have been calculated considering 01 unit (800 MW) at Kudgi TPS in service. The figures are subject to change with change in generation at Kudgi TPS.

Corridor	Constraints	Revisions
ER-SR	Low Voltage at Gazuwaka (East) Bus.	0-5
SR-WR	a) N-1 contingency of one ckt of 400 kV Kolhapur-PG - Kolhapur-MS D/C will overload of the other ckt b) N-1 contingency of 500 MVA ICT at 400 kV Kolhapur-MS will overload the other 2x315 MVA ICTs	0-5
ER-NER	a) N-1 contingency of 400 kV Bongaigaon - Azara line b) High Loading of 220 kV Salakati - BTPS D/C	0-5
NER-ER	a) N-1 contingency of 220 kV Salakati - BTPS I or II b) High Loading of 220 kV Salakati - BTPS II or I	0-5
NR_IMPORT	N-1 contingency of one ckt of 765 kV Vindhyachal-Varanasi will overload the other circuit	0-5
NR_EXPORT	(N-1) Contingency of 400 kV Banaskantha - Veloda D/C (n-1) contingency of 400 kV Saranath-Pusauli	0-5
NER_IMPORT	a) N-1 contingency of 400 kV Bongaigaon - Azara line b) High Loading of 220 kV Salakati - BTPS D/C	0-5
NER_EXPORT	a) N-1 contingency of 220 kV Salakati - BTPS I or II b) High Loading of 220 kV Salakati - BTPS II or I	0-5
SR_IMPORT	N-1 of one ICT of 765/400 kV, 1500 MVA ICT at Nizamabad will overload the other ICT Low Voltage at Gazuwaka (East) Bus	0-5
SR_EXPORT	N-1 contingency of one ckt of 400 kV Kolhapur-PG - Kolhapur-MS D/C will overload of the other ckt	0-5
		0-5

# **Revision Summary**

Revision	Date Of Revision	Period Of Revision	Reason for Revision/Comment	Corridor Affected		
		01 Oct to 31 Oct	Due to change in LGB and change in inter-regional flow pattern	WR-NR		
1	30 Jun	01 Oct to 31 Oct	Due to change in LGB and change in inter-regional flow pattern	ER-NR		
		01 Oct to 31 Oct	Due to change in LGB and change in inter-regional flow pattern	NR_IMPORT		
2	28 Jul	20 I.J	28 Jul	01 Oct to 31 Oct	Revised STOA margin due to discontinuation of LTA quantum of 72.81 MW from NSNTPC_FTG1 to TSNPDCL	NR-WR
2		01 Oct to 31 Oct	Revised STOA margin due to discontinuation of LTA quantum of 72.81 MW from NSNTPC_FTG1 to TSNPDCL	NR_EXPORT		
3	28 Aug	01 Oct to 31 Oct	Revised STOA margin due to increase in LTA quantum of 34.43 MW from NSNTPC_FTG1 to TSSPDCL	NR-WR		
		01 Oct to 31 Oct	Revised STOA margin due to a) Increase in LTA quantum by 26.3 MW from POWERICA to UPPCL b) Operationalization of new LTA quantum of 72 MW from SRIJAN_MORJAR_BHJ2_W to BRPL c) Operationalization of new LTA quantum of 72 MW from SRIJAN_MORJAR_BHJ2_W to BYPL	WR-NR		
		01 Oct to 31 Oct	Revised STOA margin due to a) Increase in LTA quantum by 96.3 MW from Fatehgarh-I Solar to Telangana b) Increase in LTA quantum by 36 MW from KAWAS to TELANGANA c)  Operationalization of new LTA quantum of 10.1 MW from GANDHAR to TELANGANA	WR-SR		
		01 Oct to 31 Oct	Revised STOA margin due to operationalization of new MTOA quantum of 102 MW from SEILP2 to Gujarat	SR-WR		
		01 Oct to 31 Oct	Revised STOA margin due to a) Increase in LTA quantum by 26.3 MW from POWERICA to UPPCL b) Operationalization of new LTA quantum of 72 MW from SRIJAN_MORJAR_BHJ2_W to BRPL c) Operationalization of new LTA quantum of 72 MW from SRIJAN_MORJAR_BHJ2_W to BYPL	NR_IMPORT		
		01 Oct to 31 Oct	Revised STOA margin due to a) Increase in LTA quantum by 96.3 MW from Fatehgarh-I Solar to Telangana b) Increase in LTA quantum by 36 MW from KAWAS to TELANGANA c) Operationalization of new LTA quantum of 10.1 MW from GANDHAR to TELANGANA	SR_IMPORT		
		01 Oct to 31 Oct	Revised STOA margin due to increase in LTA quantum of 34.43 MW from NSNTPC_FTG1 to TSSPDCL	NR_EXPORT		

3/22, 3.3			about.blailik												
Revision	Date Of Revision	Period Of Revision	Reason for Revision/Comment	Corridor Affected											
		01 Oct to 31 Oct	Revised STOA margin due to operationalization of new MTOA quantum of 102 MW from SEILP2 to Gujarat	SR_EXPORT											
		01 Oct to 31 Oct	Revised STOA margin due to a) Increase in LTA quantum by 27.9 MW from SRIJAN_MORJAR_BHJ2_W to BRPL b) Increase in LTA quantum by 23.4 MW from SRIJAN_MORJAR_BHJ2_W to BYPL c) Operationalization of new LTAs of quantum of 50 MW & 274.4 MW from SBESS_PTHMPUR_INDR_W to UPPCL	WR-NR											
4	20 Con	01 Oct to 31 Oct	Revised STOA margin due to increase in LTA quantum by 23.4 MW from SITAC_CHUGGER_BHJ2_W to Pondicherry	WR-SR											
4	28 Sep	01 Oct to 31 Oct	Revised STOA margin due to a) Increase in LTA quantum by 27.9 MW from SRIJAN_MORJAR_BHJ2_W to BRPL b) Increase in LTA quantum by 23.4 MW from SRIJAN_MORJAR_BHJ2_W to BYPL c) Operationalization of new LTAs of quantum of 50 MW & 274.4 MW from SBESS_PTHMPUR_INDR_W to UPPCL	NR_IMPORT											
		01 Oct to 31 Oct	Revised STOA margin due to increase in LTA quantum by 23.4 MW from SITAC_CHUGGER_BHJ2_W to Pondicherry	SR_IMPORT											
		01 Oct to 01 Oct	Due to forced outage of 765 kV Agra - Gwalior- 1 & the shutdown of 765 kV Jabalpur - Vindhyanchal - 2	WR-NR											
		02 Oct to 31 Oct	Due to forced outage of 765 kV Agra - Gwalior- 1	WR-NR											
													01 Oct to 01 Oct	Due to forced outage of 765 kV Agra - Gwalior- 1 & the shutdown of 765 kV Jabalpur - Vindhyanchal - 2	ER-NR
													02 Oct to 31 Oct	Due to forced outage of 765 kV Agra - Gwalior- 1	ER-NR
5	20 Con	01 Oct to 31 Oct	Change in Load-Generation of NER	ER-NER											
5	29 Sep	01 Oct to 31 Oct	Change in Load-Generation of NER	NER-ER											
		01 Oct to 01 Oct	Due to forced outage of 765 kV Agra - Gwalior- 1 & the shutdown of 765 kV Jabalpur - Vindhyanchal - 2	NR_IMPORT											
		02 Oct to 31 Oct	Due to forced outage of 765 kV Agra - Gwalior- 1	NR_IMPORT											
		01 Oct to 31 Oct	Change in Load-Generation of NER	NER_IMPORT											
		01 Oct to 31 Oct	Change in Load-Generation of NER	NER_EXPORT											

	BASECASE	LGBR		
			Month:	Oct - 22
Name of State/Region	L	oad.	Ge	neration
	Peak Load (MW)	Off Peak Load (MW)	Peak (MW)	Off Peak (MW)
NORTHERN REGION				
Punjab	9901	8919	3311	2367
Haryana	8683	7554	2322	1661
Rajasthan	9888	8413	5333	4622
	NORTHERN REGION Punjab Haryana	Name of State/Region L Peak Load (MW)  NORTHERN REGION Punjab 9901 Haryana 8683	Peak Load (MW) Off Peak Load (MW)  NORTHERN REGION  Punjab 9901 8919  Haryana 8683 7554	Month:   Name of State/Region   Load   Ge

22, 5:37	FIVI		aboutiblank		
4	Delhi	4938	4116	554	506
5	Uttar Pradesh	19668	17584	10839	9186
6	Uttarakhand	1946	1567	1600	1183
7	Himachal Pradesh	1401	1026	1975	1611
8	Jammu & Kashmir	2271	1181	1157	1072
9	Chandigarh	278	203	0	0
10	ISGS/IPPs	59	57	22573	17521
	Total NR	59033	50620	49662	39730
II	EASTERN REGION				
1	Bihar	6568	5935	496	419
2	Jharkhand	1667	1216	444	343
3	Damodar Valley Corporation	3183	2698	5421	4571
4	Orissa	5625	4979	4035	3090
5	West Bengal	9573	7825	6642	5433
6	Sikkim	111	64	0	0
7	Bhutan	55	54	1450	1307
8	ISGS/IPPs	850	850	17853	14945
0	Total ER	27633	23622	36340	30107
	TOTAL EN	27033	23022	30340	30107
III	WESTERN REGION				
		16324	13276	0207	9871
1	Maharashtra			9397	
2	Gujarat	15123	11957	6126	7052
3	Madhya Pradesh	9698	7600	2929	3614
4	Chattisgarh	3856	2970	1583	1753
5	Daman and Diu	327	273	0	0
6	Dadra and Nagar Haveli	836	698	0	0
7	Goa-WR	477	391	0	0
8	ISGS/IPPs	5260	4220	45660	31729
	Total WR	51902	41385	65696	54019
IV	SOUTHERN REGION				
1	Andhra Pradesh	8717	8076	4326	4705
2	Telangana	13020	10843	6994	6493
	Karnataka		8057		
3		10457	14724	9165	6768
4	Tamil Nadu	16096		7302	6166
5	Kerala	3877	2743	1540	458
6	Pondy	398	403	0	0
7	Goa-SR	118	120	0	0
8	ISGS/IPPs	0	0	16130	15796
	Total SR	52684	44966	45457	40386
.,	NORTH FACTERN REGION				
V	NORTH-EASTERN REGION	4.47	02	0	
1	Arunachal Pradesh	147	83	-	0
2	Assam	2051	1702	280	259
3	Manipur	223	101	0	0
4	Meghalaya	365	236	274	123
5	Mizoram	134	75	49	42
6	Nagaland	189	161	23	18
7	Tripura	485	287	194	180
8	ISGS/IPPs	0	0	3198	2891
	Total NER	3594	2645	4017	3512

about:blank 8/9

Total All India 194846 163237 201173 167754

about:blank 9/9