

National Load Despatch Centre Total Transfer Capability for Oct 2023										
Issue Date:Oct 24 2023				Issue Time:17:06:52				Revision No :17		
Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment	
ER-NER	01 Oct to 03 Oct	00:00 to 18:00	1850	60	1790	460	1330	0		
		18:00 to 22:00	1570	60	1510	460	1050	0		
		22:00 to 24:00	1850	60	1790	460	1330	0		
	04 Oct to 04 Oct	00:00 to 08:00	1850	60	1790	460	1330	0		
		08:00 to 18:00	1600	60	1540	460	1080	0		
		18:00 to 22:00	1330	60	1270	460	810	0		
		22:00 to 24:00	1600	60	1540	460	1080	0		
	05 Oct to 31 Oct	00:00 to 18:00	1850	60	1790	460	1330	0		
		18:00 to 22:00	1570	60	1510	460	1050	0		
		22:00 to 24:00	1850	60	1790	460	1330	0		
	ER-NR	01 Oct to 03 Oct	00:00 to 24:00	8000	400	7600	5097	2503	0	
		04 Oct to 04 Oct	00:00 to 09:15	8000	400	7600	5097	2503	0	
09:15 to 24:00			7750	400	7350	5097	2253	0		
05 Oct to 08 Oct		00:00 to 24:00	8000	400	7600	5097	2503	0		
09 Oct to 09 Oct		00:00 to 09:00	8000	400	7600	5097	2503	0		
		09:00 to 24:00	7750	400	7350	5097	2253	0		
10 Oct to 10 Oct		00:00 to 24:00	8000	400	7600	5097	2503	0		
11 Oct to 11 Oct		00:00 to 09:00	8000	400	7600	5097	2503	0		
		09:00 to 24:00	7600	400	7200	5097	2103	0		
12 Oct to 13 Oct		00:00 to 24:00	8000	400	7600	5097	2503	0		
14 Oct to 14 Oct		00:00 to 08:00	8000	400	7600	5097	2503	0		
		08:00 to 24:00	7300	400	6900	5097	1803	0		
15 Oct to 29 Oct	00:00 to 24:00	7300	400	6900	5097	1803	0			
30 Oct to 31 Oct	00:00 to 24:00	8000	400	7600	5097	2503	0			
ER-SR	01 Oct to 01 Oct	00:00 to 06:00	5700	350	5350	3078	2272	0		
		06:00 to 10:00	5700	350	5350	3143	2207	0		
		10:00 to 18:00	5400	350	5050	3143	1907	0		
		18:00 to 24:00	5400	350	5050	3078	1972	0		

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment		
	02 Oct to 06 Oct	00:00 to 06:00	5700	350	5350	3078	2272	0			
		06:00 to 18:00	5700	350	5350	3143	2207	0			
		18:00 to 24:00	5700	350	5350	3078	2272	0			
	07 Oct to 07 Oct	00:00 to 06:00	5700	350	5350	3078	2272	0			
		06:00 to 07:00	5700	350	5350	3143	2207	0			
		07:00 to 18:00	5650	350	5300	3143	2157	0			
		18:00 to 24:00	5650	350	5300	3078	2222	0			
	08 Oct to 10 Oct	00:00 to 06:00	5650	350	5300	3078	2222	0			
		06:00 to 18:00	5650	350	5300	3143	2157	0			
		18:00 to 24:00	5650	350	5300	3078	2222	0			
	11 Oct to 18 Oct	00:00 to 06:00	5700	350	5350	3078	2272	0			
		06:00 to 18:00	5700	350	5350	3143	2207	0			
		18:00 to 24:00	5700	350	5350	3078	2272	0			
	19 Oct to 19 Oct	00:00 to 06:00	5700	350	5350	3078	2272	0			
		06:00 to 09:00	5700	350	5350	3143	2207	0			
		09:00 to 18:00	5400	350	5050	3143	1907	0			
		18:00 to 24:00	5400	350	5050	3078	1972	0			
	20 Oct to 31 Oct	00:00 to 06:00	5700	350	5350	3078	2272	0			
		06:00 to 18:00	5700	350	5350	3143	2207	0			
		18:00 to 24:00	5700	350	5350	3078	2272	0			
	ER-W3	01 Oct to 31 Oct	00:00 to 24:00	No limit is being specified.							
	ER-WR	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA		0		
	NER-ER	01 Oct to 31 Oct	00:00 to 18:00	2900	60	2840	116	2724	0		
			18:00 to 22:00	2900	60	2840	116	2724	0		
22:00 to 24:00			2900	60	2840	116	2724	0			
NR-ER	01 Oct to 31 Oct	00:00 to 06:00	4000	300	3700	125	3575	0			
		06:00 to 18:00	4000	300	3700	1990	1710	0			
		18:00 to 24:00	4000	300	3700	125	3575	0			
NR-WR	01 Oct to 01 Oct	00:00 to 06:00	4000	500	3500	1547	1953	0			
		06:00 to 08:00	4000	500	3500	6089	0	0			

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment		
		08:00 to 18:00	3600	500	3100	6089	0	0			
		18:00 to 24:00	3600	500	3100	1547	1553	0			
	02 Oct to 25 Oct	00:00 to 06:00	3600	500	3100	1547	1553	0			
		06:00 to 18:00	3600	500	3100	6089	0	0			
		18:00 to 24:00	3600	500	3100	1547	1553	0			
	26 Oct to 26 Oct	00:00 to 06:00	3600	500	3100	1547	1553	0			
		06:00 to 17:00	3600	500	3100	6089	0	0			
		17:00 to 18:00	3300	500	2800	6089	0	-300	TTC/ATC Revised due to the shutdown of 765 kV Indore - Vadodara		
		18:00 to 24:00	3300	500	2800	1547	1253	-300			
	27 Oct to 31 Oct	00:00 to 06:00	3600	500	3100	1547	1553	0			
		06:00 to 18:00	3600	500	3100	6089	0	0			
		18:00 to 24:00	3600	500	3100	1547	1553	0			
	SR-ER	01 Oct to 31 Oct	00:00 to 24:00	No limit is being specified.							
	SR-WR	01 Oct to 09 Oct	00:00 to 06:00	6000	650	5350	650	4700	0		
			06:00 to 18:00	7650	650	7000	850	6150	0		
18:00 to 24:00			6000	650	5350	650	4700	0			
10 Oct to 10 Oct		00:00 to 06:00	6000	650	5350	650	4700	0			
		06:00 to 09:00	7650	650	7000	850	6150	0			
		09:00 to 18:00	6850	650	6200	850	5350	0			
		18:00 to 24:00	5250	650	4600	650	3950	0			
11 Oct to 11 Oct		00:00 to 06:00	6000	650	5350	650	4700	0			
		06:00 to 09:00	7650	650	7000	850	6150	0			
		09:00 to 18:00	6850	650	6200	850	5350	0			
		18:00 to 24:00	5250	650	4600	650	3950	0			
12 Oct to 12 Oct		00:00 to 06:00	6000	650	5350	650	4700	0			
		06:00 to 18:00	7650	650	7000	850	6150	0			
		18:00 to 24:00	6000	650	5350	650	4700	0			
13 Oct to 13 Oct		00:00 to 06:00	6000	650	5350	650	4700	0			
		06:00 to 09:00	7650	650	7000	850	6150	0			

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment	
		09:00 to 18:00	6850	650	6200	850	5350	0		
		18:00 to 24:00	5250	650	4600	650	3950	0		
		14 Oct to 31 Oct	00:00 to 06:00	6000	650	5350	650	4700	0	
			06:00 to 18:00	7650	650	7000	850	6150	0	
			18:00 to 24:00	6000	650	5350	650	4700	0	
W3 Injection	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA	0			
W3-ER	01 Oct to 31 Oct	00:00 to 24:00	No limit is being specified.							
WR-ER	01 Oct to 31 Oct	00:00 to 06:00	5500	300	5200	990	4210	0		
		06:00 to 18:00	5500	300	5200	1040	4160	0		
		18:00 to 24:00	5500	300	5200	990	4210	0		
WR-NR	01 Oct to 03 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 18:00	17800	1000	16800	11798	5002	0		
		18:00 to 24:00	17800	1000	16800	11474	5326	0		
	04 Oct to 04 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 09:15	17800	1000	16800	11798	5002	0		
		09:15 to 18:00	17300	1000	16300	11798	4502	0		
		18:00 to 24:00	17300	1000	16300	11474	4826	0		
	05 Oct to 08 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 18:00	17800	1000	16800	11798	5002	0		
		18:00 to 24:00	17800	1000	16800	11474	5326	0		
	09 Oct to 09 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 09:00	17800	1000	16800	11798	5002	0		
		09:00 to 18:00	17300	1000	16300	11798	4502	0		
		18:00 to 24:00	17300	1000	16300	11474	4826	0		
	10 Oct to 10 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 18:00	17800	1000	16800	11798	5002	0		
		18:00 to 24:00	17800	1000	16800	11474	5326	0		
	11 Oct to 11 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 09:00	17800	1000	16800	11798	5002	0		
		09:00 to 18:00	17100	1000	16100	11798	4302	0		

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment	
	12 Oct to 13 Oct	18:00 to 24:00	17100	1000	16100	11474	4626	0		
		00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 18:00	17800	1000	16800	11798	5002	0		
		18:00 to 24:00	17800	1000	16800	11474	5326	0		
	14 Oct to 14 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 08:00	17800	1000	16800	11798	5002	0		
		08:00 to 18:00	12700	1000	11700	11798	0	0		
		18:00 to 24:00	12700	1000	11700	11474	226	0		
	15 Oct to 29 Oct	00:00 to 06:00	12700	1000	11700	11474	226	0		
		06:00 to 18:00	12700	1000	11700	11798	0	0		
		18:00 to 24:00	12700	1000	11700	11474	226	0		
	30 Oct to 31 Oct	00:00 to 06:00	17800	1000	16800	11474	5326	0		
		06:00 to 18:00	17800	1000	16800	11798	5002	0		
		18:00 to 24:00	17800	1000	16800	11474	5326	0		
	WR-SR	01 Oct to 01 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
			06:00 to 10:00	11600	650	10950	4840	6110	0	
			10:00 to 18:00	10500	650	9850	4840	5010	0	
			18:00 to 24:00	10500	650	9850	3738	6112	0	
		02 Oct to 06 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
			06:00 to 18:00	11600	650	10950	4840	6110	0	
			18:00 to 24:00	11600	650	10950	3738	7212	0	
		07 Oct to 07 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
			06:00 to 07:00	11600	650	10950	4840	6110	0	
			07:00 to 18:00	11150	650	10500	4840	5660	0	
18:00 to 24:00			11150	650	10500	3738	6762	0		
08 Oct to 09 Oct		00:00 to 06:00	11150	650	10500	3738	6762	0		
		06:00 to 18:00	11150	650	10500	4840	5660	0		
		18:00 to 24:00	11150	650	10500	3738	6762	0		
10 Oct to 10 Oct		00:00 to 06:00	11150	650	10500	3738	6762	0		
		06:00 to 09:00	11150	650	10500	4840	5660	0		

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment
		09:00 to 18:00	10650	650	10000	4840	5160	0	
		18:00 to 24:00	10650	650	10000	3738	6262	0	
	11 Oct to 11 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 09:00	11600	650	10950	4840	6110	0	
		09:00 to 18:00	11100	650	10450	4840	5610	0	
		18:00 to 24:00	11100	650	10450	3738	6712	0	
	12 Oct to 12 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 18:00	11600	650	10950	4840	6110	0	
		18:00 to 24:00	11600	650	10950	3738	7212	0	
	13 Oct to 13 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 09:00	11600	650	10950	4840	6110	0	
		09:00 to 18:00	11100	650	10450	4840	5610	0	
		18:00 to 24:00	11100	650	10450	3738	6712	0	
	14 Oct to 14 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 08:00	11600	650	10950	4840	6110	0	
		08:00 to 18:00	11600	650	10950	4840	6110	0	
		18:00 to 24:00	11600	650	10950	3738	7212	0	
	15 Oct to 17 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 18:00	11600	650	10950	4840	6110	0	
		18:00 to 24:00	11600	650	10950	3738	7212	0	
	18 Oct to 18 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 18:00	11600	650	10950	4840	6110	0	
		18:00 to 24:00	11600	650	10950	3738	7212	0	
	19 Oct to 19 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 09:00	11600	650	10950	4840	6110	0	
		09:00 to 18:00	10500	650	9850	4840	5010	0	
		18:00 to 24:00	10500	650	9850	3738	6112	0	
	20 Oct to 31 Oct	00:00 to 06:00	11600	650	10950	3738	7212	0	
		06:00 to 18:00	11600	650	10950	4840	6110	0	
		18:00 to 24:00	11600	650	10950	3738	7212	0	

- Based on the actual distribution of corridor flows, Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for short-term transactions wherever applicable.
- Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.
- S1 comprises of Telangana, AP and Karnataka; S2 comprises of Tamil Nadu and Puducherry; S3 comprises Kerala
- W3 comprises of the following regional entities : a) Chattisgarh Sell transaction, b) Jindal Power Limited (JPL) Stage-I & Stage-II, c) Jindal Steel and Power Limited (JSPL), d) ACBL, e) LANCO Amarkantak f) BALCO, g) Sterlite (#1,3,4), h) NSPCL, i) NTPC Korba I, II & III, j) NTPC Sipat I & II, k) KSK Mahanadi, l) DB Power, m) REGL (Previously KWPCCL), n) RKM, o) REL, p) Bharat Aluminium, q) MCCPL, r) SKS, s) TRN, t) NTPC Lara, u) Adani Power Limited Raipur and any other regional entity generator in Chhattisgarh
- The figure is based on LTA/MTOA approved by CTU and Allocation figures as per RPCs RTA/REA. In actual Operation, due to Units being on Maintenance/ Fuel shortage/New units being commissioned the LTA/MTOA utilized would vary. RLDC/NLDC would factor this situation on day-ahead basis. In the eventuality that net schedules exceed ATC, real time curtailments might be effected by RLDCs/NLDC.
- In case of TTC Revision due to any shutdown : 1) The TTC value will be revised to normal values after restoration of shutdown. 2) The TTC value will be revised to normal values if the shutdown is not being availed in real time.
- Real Time TTC/ATC revisions are uploaded on Grid-India/NLDC "News Update" (Flasher) Section

Simultaneous Import Capability

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment	
ER	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA		0		
NER	01 Oct to 03 Oct	00:00 to 18:00	1350	60	1290	460	830	0		
		18:00 to 22:00	1070	60	1010	460	550	0		
		22:00 to 24:00	1350	60	1290	460	830	0		
	04 Oct to 04 Oct	00:00 to 08:00	1350	60	1290	460	830	0		
		08:00 to 18:00	1100	60	1040	460	580	0		
		18:00 to 22:00	830	60	770	460	310	0		
		22:00 to 24:00	1100	60	1040	460	580	0		
	05 Oct to 31 Oct	00:00 to 18:00	1350	60	1290	460	830	0		
		18:00 to 22:00	1070	60	1010	460	550	0		
		22:00 to 24:00	1350	60	1290	460	830	0		
	NR	01 Oct to 03 Oct	00:00 to 06:00	25800	1400	24400	16571	7829	0	
			06:00 to 18:00	25800	1400	24400	16895	7505	0	
18:00 to 24:00			25800	1400	24400	16571	7829	0		
04 Oct to 04 Oct		00:00 to 06:00	25800	1400	24400	16571	7829	0		
		06:00 to 09:15	25800	1400	24400	16895	7505	0		
		09:15 to 18:00	25050	1400	23650	16895	6755	0		
		18:00 to 24:00	25050	1400	23650	16571	7079	0		
05 Oct to 08 Oct		00:00 to 06:00	25800	1400	24400	16571	7829	0		
		06:00 to 18:00	25800	1400	24400	16895	7505	0		
		18:00 to 24:00	25800	1400	24400	16571	7829	0		
09 Oct to 09 Oct		00:00 to 06:00	25800	1400	24400	16571	7829	0		
		06:00 to 09:00	25800	1400	24400	16895	7505	0		
		09:00 to 18:00	25050	1400	23650	16895	6755	0		
		18:00 to 24:00	25050	1400	23650	16571	7079	0		
10 Oct to 10 Oct		00:00 to 06:00	25800	1400	24400	16571	7829	0		
		06:00 to 18:00	25800	1400	24400	16895	7505	0		
		18:00 to 24:00	25800	1400	24400	16571	7829	0		
11 Oct to 11 Oct		00:00 to 06:00	25800	1400	24400	16571	7829	0		
		06:00 to 09:00	25800	1400	24400	16895	7505	0		
		09:00 to 18:00	24700	1400	23300	16895	6405	0		
		18:00 to 24:00	24700	1400	23300	16571	6729	0		
12 Oct to 13 Oct		00:00 to 06:00	25800	1400	24400	16571	7829	0		
		06:00 to 18:00	25800	1400	24400	16895	7505	0		
		18:00 to 24:00	25800	1400	24400	16571	7829	0		
14 Oct to 14 Oct	00:00 to 06:00	25800	1400	24400	16571	7829	0			
	06:00 to 08:00	25800	1400	24400	16895	7505	0			
	08:00 to 18:00	20000	1400	18600	16895	1705	0			
	18:00 to 24:00	20000	1400	18600	16571	2029	0			
15 Oct to 29 Oct	00:00 to 06:00	20000	1400	18600	16571	2029	0			

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment
		06:00 to 18:00	20000	1400	18600	16895	1705	0	
		18:00 to 24:00	20000	1400	18600	16571	2029	0	
	30 Oct to 31 Oct	00:00 to 06:00	25800	1400	24400	16571	7829	0	
		06:00 to 18:00	25800	1400	24400	16895	7505	0	
		18:00 to 24:00	25800	1400	24400	16571	7829	0	
SR	01 Oct to 01 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0	
		06:00 to 10:00	17300	1000	16300	7983	8317	0	
		10:00 to 18:00	15900	1000	14900	7983	6917	0	
		18:00 to 24:00	15900	1000	14900	6816	8084	0	
	02 Oct to 06 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0	
		06:00 to 18:00	17300	1000	16300	7983	8317	0	
		18:00 to 24:00	17300	1000	16300	6816	9484	0	
	07 Oct to 07 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0	
		06:00 to 07:00	17300	1000	16300	7983	8317	0	
		07:00 to 18:00	16800	1000	15800	7983	7817	0	
		18:00 to 24:00	16800	1000	15800	6816	8984	0	
	08 Oct to 09 Oct	00:00 to 06:00	16800	1000	15800	6816	8984	0	
		06:00 to 18:00	16800	1000	15800	7983	7817	0	
		18:00 to 24:00	16800	1000	15800	6816	8984	0	
	10 Oct to 10 Oct	00:00 to 06:00	16800	1000	15800	6816	8984	0	
		06:00 to 09:00	16800	1000	15800	7983	7817	0	
		09:00 to 18:00	16300	1000	15300	7983	7317	0	
		18:00 to 24:00	16300	1000	15300	6816	8484	0	
	11 Oct to 11 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0	
		06:00 to 09:00	17300	1000	16300	7983	8317	0	
09:00 to 18:00		16800	1000	15800	7983	7817	0		
18:00 to 24:00		16800	1000	15800	6816	8984	0		
12 Oct to 12 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 18:00	17300	1000	16300	7983	8317	0		
	18:00 to 24:00	17300	1000	16300	6816	9484	0		
13 Oct to 13 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 09:00	17300	1000	16300	7983	8317	0		
	09:00 to 18:00	16800	1000	15800	7983	7817	0		
	18:00 to 24:00	16800	1000	15800	6816	8984	0		
14 Oct to 14 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 08:00	17300	1000	16300	7983	8317	0		
	08:00 to 18:00	17300	1000	16300	7983	8317	0		
	18:00 to 24:00	17300	1000	16300	6816	9484	0		
15 Oct to 17 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 18:00	17300	1000	16300	7983	8317	0		
	18:00 to 24:00	17300	1000	16300	6816	9484	0		
18 Oct to 18 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 18:00	17300	1000	16300	7983	8317	0		
	18:00 to 24:00	17300	1000	16300	6816	9484	0		
19 Oct to 19 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 09:00	17300	1000	16300	7983	8317	0		
	09:00 to 18:00	15900	1000	14900	7983	6917	0		
	18:00 to 24:00	15900	1000	14900	6816	8084	0		
20 Oct to 31 Oct	00:00 to 06:00	17300	1000	16300	6816	9484	0		
	06:00 to 18:00	17300	1000	16300	7983	8317	0		
	18:00 to 24:00	17300	1000	16300	6816	9484	0		
WR	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		0	0		

- Based on the actual distribution of corridor flows, Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for short-term transactions wherever applicable.

- Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.
- S1 comprises of Telangana, AP and Karnataka; S2 comprises of Tamil Nadu and Puducherry; S3 comprises Kerala
- W3 comprises of the following regional entities : a) Chattisgarh Sell transaction, b) Jindal Power Limited (JPL) Stage-I & Stage-II, c) Jindal Steel and Power Limited (JSPL), d) ACBL, e) LANCO Amarkantak f) BALCO, g) Sterlite (#1,3,4), h) NSPCL, i) NTPC Korba I, II & III, j) NTPC Sipat I & II, k) KSK Mahanadi, l) DB Power, m) REGL (Previously KWPC), n) RKM, o) REL, p) Bharat Aluminium, q) MCCPL, r) SKS, s) TRN, t) NTPC Lara, u) Adani Power Limited Raipur and any other regional entity generator in Chhattisgarh
- The figure is based on LTA/MTOA approved by CTU and Allocation figures as per RPCs RTA/REA. In actual Operation, due to Units being on Maintenance/ Fuel shortage/New units being commissioned the LTA/MTOA utilized would vary. RLDC/NLDC would factor this situation on day-ahead basis. In the eventuality that net schedules exceed ATC, real time curtailments might be effected by RLDCs/NLDC.
- In case of TTC Revision due to any shutdown : 1) The TTC value will be revised to normal values after restoration of shutdown. 2) The TTC value will be revised to normal values if the shutdown is not being availed in real time.
- Real Time TTC/ATC revisions are uploaded on Grid-India/NLDC "News Update" (Flasher) Section

Simultaneous Export Capability

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment
ER	01 Oct to 31 Oct	00:00 to 24:00	NA	NA		NA		0	
NER	01 Oct to 31 Oct	00:00 to 18:00	3400	60	3340	116	3224	0	
		18:00 to 22:00	3400	60	3340	116	3224	0	
		22:00 to 24:00	3400	60	3340	116	3224	0	
NR	01 Oct to 01 Oct	00:00 to 06:00	4000	500	3500	1672	1828	0	
		06:00 to 08:00	4000	500	3500	8079	0	0	
		08:00 to 18:00	3600	500	3100	8079	0	0	
		18:00 to 24:00	3600	500	3100	1672	1428	0	
	02 Oct to 25 Oct	00:00 to 06:00	3600	500	3100	1672	1428	0	
		06:00 to 18:00	3600	500	3100	8079	0	0	
		18:00 to 24:00	3600	500	3100	1672	1428	0	
	26 Oct to 26 Oct	00:00 to 06:00	3600	500	3100	1672	1428	0	
		06:00 to 17:00	3600	500	3100	8079	0	0	
		17:00 to 18:00	3300	500	2800	8079	0	-300	TTC/ATC Revised due to the shutdown of 765 kV Indore - Vadodara
		18:00 to 24:00	3300	500	2800	1672	1128	-300	
	27 Oct to 31 Oct	00:00 to 06:00	3600	500	3100	1672	1428	0	
06:00 to 18:00		3600	500	3100	8079	0	0		
18:00 to 24:00		3600	500	3100	1672	1428	0		
SR	01 Oct to 09 Oct	00:00 to 06:00	5150	650	4500	2018	2482	0	
		06:00 to 18:00	6600	650	5950	2369	3581	0	
		18:00 to 24:00	5150	650	4500	2018	2482	0	
	10 Oct to 10 Oct	00:00 to 06:00	5150	650	4500	2018	2482	0	

Corridor	Date	Time Period(hrs)	Total Transfer Capability(TTC)	Reliability Margin(RM)	Available Transfer Capability(ATC)	LTA/MTOA	STOA	Changes w.r.t. Previous Revision	Comment
		06:00 to 09:00	6600	650	5950	2369	3581	0	
		09:00 to 18:00	5800	650	5150	2369	2781	0	
		18:00 to 24:00	4400	650	3750	2018	1732	0	
	11 Oct to 11 Oct	00:00 to 06:00	5150	650	4500	2018	2482	0	
		06:00 to 09:00	6600	650	5950	2369	3581	0	
		09:00 to 18:00	5800	650	5150	2369	2781	0	
		18:00 to 24:00	4400	650	3750	2018	1732	0	
	12 Oct to 12 Oct	00:00 to 06:00	5150	650	4500	2018	2482	0	
		06:00 to 18:00	6600	650	5950	2369	3581	0	
		18:00 to 24:00	5150	650	4500	2018	2482	0	
	13 Oct to 13 Oct	00:00 to 06:00	5150	650	4500	2018	2482	0	
		06:00 to 09:00	6600	650	5950	2369	3581	0	
		09:00 to 18:00	5800	650	5150	2369	2781	0	
		18:00 to 24:00	4400	650	3750	2018	1732	0	
	14 Oct to 31 Oct	00:00 to 06:00	5150	650	4500	2018	2482	0	
		06:00 to 18:00	6600	650	5950	2369	3581	0	
		18:00 to 24:00	5150	650	4500	2018	2482	0	
	WR	01 Oct to 31 Oct	00:00 to 24:00	NA	NA	NA	NA	0	

- Based on the actual distribution of corridor flows, Counter flow benefit on account of LTA/MTOA transactions in the reverse direction would be considered for short-term transactions wherever applicable.
- Considering 400 kV Rihand stage-III - Vindhyachal PS D/C line as inter-regional line for the purpose of scheduling, metering and accounting and 950 MW ex-bus generation in Rihand stage-III. Rihand Stage-III generation is considered as NR regional entity.
- S1 comprises of Telangana, AP and Karnataka; S2 comprises of Tamil Nadu and Puducherry; S3 comprises Kerala
- W3 comprises of the following regional entities : a) Chattisgarh Sell transaction, b) Jindal Power Limited (JPL) Stage-I & Stage-II, c) Jindal Steel and Power Limited (JSPL), d) ACBL, e) LANCO Amarkantak f) BALCO, g) Sterlite (#1,3,4), h) NSPCL, i) NTPC Korba I, II & III, j) NTPC Sipat I & II, k) KSK Mahanadi, l) DB Power, m) REGL (Previously KWPC), n) RKM, o) REL, p) Bharat Aluminium, q) MCCPL, r) SKS, s) TRN, t) NTPC Lara, u) Adani Power Limited Raipur and any other regional entity generator in Chhattisgarh
- The figure is based on LTA/MTOA approved by CTU and Allocation figures as per RPCs RTA/REA. In actual Operation, due to Units being on Maintenance/ Fuel shortage/New units being commissioned the LTA/MTOA utilized would vary. RLDC/NLDC would factor this situation on day-ahead basis. In the eventuality that net schedules exceed ATC, real time curtailments might be effected by RLDCs/NLDC.
- In case of TTC Revision due to any shutdown : 1) The TTC value will be revised to normal values after restoration of shutdown. 2) The TTC value will be revised to normal values if the shutdown is not being availed in real time.
- Real Time TTC/ATC revisions are uploaded on Grid-India/NLDC "News Update" (Flasher) Section

Limiting Constraints

Corridor	Constraints	Revisions
WR-NR	N-1 contingency of one ckt of 765 kV Vindhyachal-Varanasi will overload the other circuit	0-17
NR-ER	1. Overloading of one circuit of 400 kV New Ranchi – New PPSP D/C on the tripping of the other circuit 2. Overloading of one circuit of 400 kV Kahalgaon – Farakka D/C on the tripping of the other circuit 3. Overloading of 400 kV Farakka – Sagardighi – 1 on the tripping of 400 kV Farakka – Sagardighi - 2	0-17

Corridor	Constraints	Revisions
WR-ER	1. Overloading of one circuit of 400 kV New Ranchi – New PPSP D/C on the tripping of the other circuit 2. Overloading of one circuit of 400 kV Kahalgaon – Farakka D/C on the tripping of the other circuit 3. Overloading of 400 kV Farakka – Sagardighi – 1 on the tripping of 400 kV Farakka – Sagardighi - 2	0-17
ER-NR	Inter-regional flow pattern towards NR	0-17
WR-SR	Outage of any one of the 2x1500 MVA, 765/400 kV ICTs at Nizamabad overloads the other ICT	0-17
ER-SR	Low Voltage at Gazuwaka (East) Bus.	0-17
SR-WR	a) Angular separation between Kudgi & Kolhapur (PG) under N-1 of 400 kV Kudgi - Kolhapur (PG) D/C touches 30 deg b) N-1 non-compliance of 2*1500 MVA, 765/400 kV ICTs at Section– A at Raigarh - PS(Kotra) with increase in HVDC Raigarh – Pugalur Bipole – II power order beyond 950 MW in SR to WR Direction (Solar Hours) c) N-1 non-compliance of 2*1500 MVA, 765/400 kV ICTs at Section– B at Raigarh -PS (Kotra) with increase in HVDC Raigarh – Pugalur Bipole – I power order beyond 450 MW in SR to WR Direction (Solar Hours) d) N-1 Contingency of 400 kV Pune – Kalwa will overload 400 kV Pune -Khargar and vice-versa	3-17
ER-NER	a) N-1 contingency of 400 kV Bongaigaon - Azara line b) High Loading of 220 kV Balipara-Sonabil D/C	4-17
NER-ER	a) N-1 contingency of 400 kV Bongaigaon-Alipurduar I or II b) High Loading of 400 kV Bongaigaon- New Siliguri DC	4-17
NR_IMPORT	N-1 contingency of one ckt of 765 kV Vindhyachal-Varanasi will overload the other circuit	0-17
NR_EXPORT	(N-1) Contingency of 400 kV Kankroli-Zerda-S/C will overload 400 KV Bhinmal-Zerda-S/C	0-17
NER_IMPORT	a) N-1 contingency of 400 kV Bongaigaon - Azara line b) High Loading of 220 kV Balipara-Sonabil D/C	4-17
NER_EXPORT	a) N-1 contingency of 400 kV Bongaigaon-Alipurduar I or II b) High Loading of 400 kV Bongaigaon- New Siliguri DC	4-17
SR_IMPORT	Outage of any one of the 2x1500 MVA, 765/400 kV ICTs at Nizamabad overloads the other ICT Low Voltage at Gazuwaka (East) Bus	0-17
SR_EXPORT	a) Angular separation between Kudgi & Kolhapur (PG) under N-1 of 400 kV Kudgi - Kolhapur (PG) D/C touches 30 deg b) N-1 non-compliance of 2*1500 MVA, 765/400 kV ICTs at Section– A at Raigarh - PS(Kotra) with increase in HVDC Raigarh – Pugalur Bipole – II power order beyond 950 MW in SR to WR Direction (Solar Hours) c) N-1 non-compliance of 2*1500 MVA, 765/400 kV ICTs at Section– B at Raigarh -PS (Kotra) with increase in HVDC Raigarh – Pugalur Bipole – I power order beyond 450 MW in SR to WR Direction (Solar Hours) d) N-1 Contingency of 400 kV Pune – Kalwa will overload 400 kV Pune -Khargar and vice-versa	3-17

Revision Summary

Revision	Date Of Revision	Period Of Revision	Reason for Revision/Comment	Corridor Affected
0	28 Jun			
1	28 Jul	01 Oct to 31 Oct	Revised STOA margin due to, 1. Operationalization of LTA of 225 MW from TPGEL_BKN to TPC MSEB 2. Operationalization of MTOA of 300 MW from TPGEL_BKN to TPC MSEB. 3. Operationalization of MTOA of 200 MW from ABCREPL_BHDL2 to MPSEB_Beneficiary. 4. Operationalization of MTOA of 100 MW from ABCREPL_BHDL2 to PONDY. 5. Increase in allocation quantum from Unchahar-I to Gujarat by 36 MW 6. Decrease in the allocation quantum by 36 MW from Tanda-II to Gujarat. 7. Termination of allocation quantum of 5 MW from Meja TPS to Madhya Pradesh.	NR-WR
		01 Oct to 31 Oct	Revised STOA margin due to, 1. Operationalization of LTA of 1850 MW from MBMP to HARYANA. 2. Operationalization of MTOA of 61.5 MW from JPL-2 to NCRALL. 3. Increase in the LTA quantum by 41.8 MW from NETRA_KOTDA_BHUJ_W to HARYANA 4. Increase in the LTA quantum by 58.3 MW from Torrent_Sidpur_Jam_W to HARYANA	WR-NR
		01 Oct to 31 Oct	Revised STOA margin due to Increase in the LTA quantum by 52.5 MW from From Marwa Thermal Power Western Region to TGTRANSCO.	WR-SR
		01 Oct to 31 Oct	Revised STOA margin due to operationalisation of new allocation of 5 MW from BRBCL to Assam.	ER-NER
		01 Oct to 31 Oct	Revised STOA margin due to discontinuation of allocation quantum of 140.4 MW from BgTPP to Tamil Nadu	NER-ER
		01 Oct to 31 Oct	Revised STOA margin due to, 1. Operationalization of LTA of 1850 MW from MBMP to HARYANA. 2. Operationalization of MTOA of 61.5 MW from JPL-2 to NCRALL. 3. Increase in the LTA quantum by 41.8 MW from NETRA_KOTDA_BHUJ_W to HARYANA 4. Increase in the LTA quantum by 58.3 MW from Torrent_Sidpur_Jam_W to HARYANA	NR_IMPORT
		01 Oct to 31 Oct	Revised STOA margin due to operationalisation of new allocation of 5 MW from BRBCL to Assam.	NER_IMPORT
		01 Oct to 31 Oct	Revised STOA margin due to Increase in the LTA quantum by 52.5 MW from From Marwa Thermal Power Western Region to TGTRANSCO.	SR_IMPORT
		01 Oct to 31 Oct	Revised STOA margin due to, 1. Operationalization of LTA of 225 MW from TPGEL_BKN to TPC MSEB 2. Operationalization of MTOA of 300 MW from TPGEL_BKN to TPC MSEB. 3. Operationalization of MTOA of 200 MW from ABCREPL_BHDL2 to MPSEB_Beneficiary. 4. Operationalization of MTOA of 100 MW from ABCREPL_BHDL2 to PONDY. 5. Increase in allocation quantum from Unchahar-I to Gujarat by 36 MW 6. Decrease in the allocation quantum by 36 MW from Tanda-II to Gujarat. 7. Termination of allocation quantum of 5 MW from Meja TPS to Madhya Pradesh.	NR_EXPORT

Revision	Date Of Revision	Period Of Revision	Reason for Revision/Comment	Corridor Affected
		01 Oct to 31 Oct	Revised STOA margin due to discontinuation of allocation quantum of 140.4 MW from BgTPP to Tamil Nadu	NER_EXPORT
2	28 Aug	01 Oct to 31 Oct	Change in STOA margin due to increase in the LTA quantum by 24.7 MW from NETRA_KOTDA_BHUJ_W to Haryana	WR-NR
		01 Oct to 31 Oct	Change in STOA margin due to increase in the LTA quantum by 24.7 MW from NETRA_KOTDA_BHUJ_W to Haryana	NR_IMPORT
3	28 Aug	01 Oct to 31 Oct	Change in STOA margin due to increase in the LTA quantum by 24.7 MW from NETRA_KOTDA_BHUJ_W to Haryana	WR-NR
		01 Oct to 31 Oct	Change in STOA margin due to increase in the LTA quantum by 24.7 MW from NETRA_KOTDA_BHUJ_W to Haryana	NR_IMPORT
4	19 Sep	01 Oct to 31 Oct	TTC/ATC revised due to change in LGB and network augmentation	SR-WR
		01 Oct to 31 Oct	TTC/ATC revised due to change in LGB and network augmentation	SR_EXPORT
5	27 Sep	01 Oct to 31 Oct	Change in STOA margin due to decrease in the LTA quantum by 2.2 MW from NETRA_KOTDA_BHUJ_W to Haryana	WR-NR
		01 Oct to 31 Oct	Change in STOA margin due to decrease in the LTA quantum by 2.2 MW from NETRA_KOTDA_BHUJ_W to Haryana	NR_IMPORT
6	29 Sep	01 Oct to 01 Oct	TTC/ATC curtailed due to the shutdown of 400 KV KANKROLI(PG)-JODHPUR(RS) (PG) CKT-1	NR-WR
		01 Oct to 01 Oct	TTC/ATC curtailed due to the shutdown of 765KV/400KV NIZAMABAD-ICT-2	WR-SR
		01 Oct to 01 Oct	TTC/ATC curtailed due to the shutdown of 765KV/400KV NIZAMABAD-ICT-2	ER-SR
		01 Oct to 31 Oct	TTC/ATC revised due to the change in LGB	ER-NER
		01 Oct to 31 Oct	TTC/ATC revised due to the change in LGB	NER-ER
		01 Oct to 31 Oct	TTC/ATC revised due to the change in LGB	NER_IMPORT
		01 Oct to 01 Oct	TTC/ATC curtailed due to the shutdown of 765KV/400KV NIZAMABAD-ICT-2	SR_IMPORT
		01 Oct to 01 Oct	TTC/ATC curtailed due to the shutdown of 400 KV KANKROLI(PG)-JODHPUR(RS) (PG) CKT-1	NR_EXPORT
		01 Oct to 31 Oct	TTC/ATC revised due to the change in LGB	NER_EXPORT
7	02 Oct	04 Oct to 04 Oct	TTC/ATC curtailed due to shutdown of 765 kV SATNA- BINA Ckt 2	WR-NR
		04 Oct to 04 Oct	TTC/ATC curtailed due to shutdown of 765 kV SATNA- BINA Ckt 2	ER-NR
		04 Oct to 04 Oct	TTC/ATC curtailed due to the shutdown of 400 KV Byrnihat-Bongaigaon Ckt 2	ER-NER
		04 Oct to 04 Oct	TTC/ATC curtailed due to shutdown of 765 kV SATNA- BINA Ckt 2	NR_IMPORT
		04 Oct to 04 Oct	TTC/ATC curtailed due to the shutdown of 400 KV Byrnihat-Bongaigaon Ckt 2	NER_IMPORT
8	05 Oct	07 Oct to 07 Oct	TTC/ATC curtailed due to the shutdown of 765 kV Wardha - Aurangabad - 1&2	WR-SR
		08 Oct to 26 Oct	TTC/ATC curtailed due to the shutdown of 765 kV Wardha - Aurangabad - 1&2	WR-SR
		07 Oct to 07 Oct	TTC/ATC curtailed due to the shutdown of 765 kV Wardha - Aurangabad - 1&2	ER-SR
		08 Oct to 26 Oct	TTC/ATC curtailed due to the shutdown of 765 kV Wardha - Aurangabad - 1&2	ER-SR
		07 Oct to 07 Oct	TTC/ATC curtailed due to the shutdown of 765 kV Wardha - Aurangabad - 1&2	SR_IMPORT
		08 Oct to 26 Oct	TTC/ATC curtailed due to the shutdown of 765 kV Wardha - Aurangabad - 1&2	SR_IMPORT
9	07 Oct	09 Oct to 09 Oct	TTC/ATC Revised in view of shutdown of 765KV-SATNA-BINA-1	WR-NR
		09 Oct to 09 Oct	TTC/ATC Revised in view of shutdown of 765KV-SATNA-BINA-1	ER-NR

Revision	Date Of Revision	Period Of Revision	Reason for Revision/Comment	Corridor Affected
		09 Oct to 09 Oct	TTC/ATC Revised in view of shutdown of 765KV-SATNA-BINA-1	NR_IMPORT
10	09 Oct	10 Oct to 10 Oct	TTC/ATC Revised in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	WR-SR
		10 Oct to 10 Oct	TTC/ATC Revised in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	SR-WR
		10 Oct to 10 Oct	TTC/ATC Revised in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	SR_IMPORT
		10 Oct to 10 Oct	TTC/ATC Revised in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	SR_EXPORT
11	09 Oct	11 Oct to 11 Oct	TTC/ATC curtailed due to the shutdown of 765KV-VINDHYACHAL(PS)-JABALPUR-1	WR-NR
		11 Oct to 11 Oct	TTC/ATC curtailed due to the shutdown of 765KV-VINDHYACHAL(PS)-JABALPUR-1	ER-NR
		11 Oct to 11 Oct	TTC/ATC curtailed in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	WR-SR
		11 Oct to 11 Oct	TTC/ATC curtailed in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	SR-WR
		11 Oct to 11 Oct	TTC/ATC curtailed due to the shutdown of 765KV-VINDHYACHAL(PS)-JABALPUR-1	NR_IMPORT
		11 Oct to 11 Oct	TTC/ATC curtailed in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	SR_IMPORT
		11 Oct to 11 Oct	TTC/ATC curtailed in view of shutdown of 765KV-RAICHUR-SHOLAPUR-2	SR_EXPORT
12	10 Oct	11 Oct to 11 Oct	TTC/ATC revised due to the deferment of shutdown of 765kV Wardha – Aurangabad D/C	WR-SR
		11 Oct to 26 Oct	TTC/ATC revised due to the deferment of shutdown of 765kV Wardha – Aurangabad D/C	ER-SR
		11 Oct to 11 Oct	TTC/ATC revised due to the deferment of shutdown of 765kV Wardha – Aurangabad D/C	SR_IMPORT
13	11 Oct	13 Oct to 13 Oct	TTC/ATC curtailed due to the shutdown of 765KV-SOLAPUR-RAICHUR-2	WR-SR
		13 Oct to 13 Oct	TTC/ATC curtailed due to the shutdown of 765KV-SOLAPUR-RAICHUR-2	SR-WR
		13 Oct to 13 Oct	TTC/ATC curtailed due to the shutdown of 765KV-SOLAPUR-RAICHUR-2	SR_IMPORT
		13 Oct to 13 Oct	TTC/ATC curtailed due to the shutdown of 765KV-SOLAPUR-RAICHUR-2	SR_EXPORT
14	12 Oct	14 Oct to 14 Oct	TTC/ATC curtailed due to the shutdown of 800 KV HVDC KURUKSHETRA(PG) POLE-1,2,3 & 4	WR-NR
		14 Oct to 14 Oct	TTC/ATC curtailed due to the shutdown of 800 KV HVDC KURUKSHETRA(PG) POLE-1,2,3 & 4	ER-NR
		14 Oct to 14 Oct	TTC/ATC curtailed due to the shutdown of 400KV-PUGALUR HVDC-PUGALUR-1&2	WR-SR
		14 Oct to 14 Oct	TTC/ATC curtailed due to the shutdown of 800 KV HVDC KURUKSHETRA(PG) POLE-1,2,3 & 4	NR_IMPORT
		14 Oct to 14 Oct	TTC/ATC curtailed due to the shutdown of 400KV-PUGALUR HVDC-PUGALUR-1&2	SR_IMPORT
15	13 Oct	14 Oct to 14 Oct	TTC/ATC revised due to details received regarding higher thermal limit of 400 KV Pugalur-Arasur-D/C which is constraints due to the shutdown of 400 KV Pugalur-Pugalur-D/C	WR-SR
		14 Oct to 14 Oct	TTC/ATC revised due to details received regarding higher thermal limit of 400 KV Pugalur-Arasur-D/C which is constraints due to the shutdown of 400 KV Pugalur-Pugalur-D/C	SR_IMPORT
16	17 Oct	19 Oct to 19 Oct	TTC/ATC Revised due to the Shutdown of 765 kV Nizamabad ICT - 2	WR-SR
		19 Oct to 19 Oct	TTC/ATC Revised due to the Shutdown of 765 kV Nizamabad ICT - 2	ER-SR
		19 Oct to 19 Oct	TTC/ATC Revised due to the Shutdown of 765 kV Nizamabad ICT - 2	SR_IMPORT
17	24 Oct	26 Oct to 26 Oct	TTC/ATC Revised due to the shutdown of 765 kV Indore - Vadodara	NR-WR
		26 Oct to 26 Oct	TTC/ATC Revised due to the shutdown of 765 kV Indore - Vadodara	NR_EXPORT

BASECASE LGBR					
S.No.	Name of State/Region	Load		Month:	Oct'23
		Peak Load (MW)	Off Peak Load (MW)	Generation	
				Peak (MW)	Off Peak (MW)
I	NORTHERN REGION				
1	Punjab	6187	4320	4431	2467
2	Haryana	6301	4633	2327	2029
3	Rajasthan	14634	8276	8964	6149
4	Delhi	4138	1632	530	506
5	Uttar Pradesh	15439	10852	10732	7505
6	Uttarakhand	1894	1473	383	297
7	Himachal Pradesh	1707	1017	546	240
8	Jammu & Kashmir	2488	2157	236	227
9	Chandigarh	197	89	0	0
10	ISGS/IPPs	53	52	21207	9340
	Total NR	53038	34501	49356	28761
II	EASTERN REGION				
1	Bihar	4303	3220	484	409
2	Jharkhand	1498	1268	436	409
3	Damodar Valley Corporation	3224	3002	5182	4218
4	Odisha	5447	4870	3217	2628
5	West Bengal	5848	4471	5542	4582
6	Sikkim	103	55	0	0
7	Bhutan	57	56	107	68
8	ISGS/IPPs	748	698	14253	11518
	Total ER	21230	17642	29221	23833
III	WESTERN REGION				
1	Maharashtra	24497	17173	16678	12825
2	Gujarat	18565	15139	8330	8534
3	Madhya Pradesh	15672	9581	6140	4836
4	Chattisgarh	4723	3510	2439	2625
5	Daman and Diu	0	0	0	0
6	Dadra and Nagar Haveli	903	910	0	0
7	Goa-WR	538	427	0	0
8	ISGS/IPPs	5326	4186	46483	31327
	Total WR	70222	50926	80070	60147
IV	SOUTHERN REGION				
1	Andhra Pradesh	10976	7444	6488	4721
2	Telangana	12210	9955	7160	4955
3	Karnataka	13204	8407	7228	5718
4	Tamil Nadu	16464	13330	9475	5630
5	Kerala	3474	3023	1037	583
6	Pondy	385	377	0	0
7	Goa-SR	90	88	0	0
8	ISGS/IPPs	0	0	19219	15358
	Total SR	56804	42625	50606	36964
V	NORTH-EASTERN REGION				
1	Arunachal Pradesh	123	94	7	7
2	Assam	1193	1068	289	292
3	Manipur	188	118	0	0
4	Meghalaya	367	288	100	24
5	Mizoram	92	63	33	54

6	Nagaland	160	162	18	17
7	Tripura	214	229	164	159
8	ISGS/IPPs	0	0	2248	2153
	Total NER	2338	2022	2859	2707
	Total All India	203632	147716	212112	152412