




**POWER SYSTEM OPERATION CORPORATION LIMITED**  
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

DURGAPUR:Frequency

National Grid Frequency Profile for 10-May-15



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	0.00	12.45	34.49	0.34	12.12	37.91	40.95	7.56	64.98	98.87	32.74	13.97	49.61	32.77	22.57	1.13

<b>Average Frequency</b>	<b>50.00</b>	<b>Frequency Variation Index :</b>	<b>0.061</b>	<b>Standard Deviation :</b>	<b>0.078</b>
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

<b>Instantaneous Frequency</b>		<b>15 minute average Frequency</b>		<b>No. of excursion above 50.03 Hz</b>	<b>133</b>
<b>MAX</b>	<b>50.32 18:04:40</b>	<b>Max</b>	<b>50.189 17:45:00</b>	<b>No. of excursion below 49.97 Hz</b>	<b>100</b>
<b>Min</b>	<b>49.74 19:25:30</b>	<b>Min</b>	<b>49.849 0:45:00</b>	<b>No. of excursion above 50.00 Hz</b>	<b>140</b>
				<b>No. of excursion below 50.00 Hz</b>	<b>138</b>

<b>Average time freq remains below 49.97 per excursion</b>	<b>0:04:58</b>	<b>Average time frequency remains above 50.03 per excursion</b>	<b>0:03:33</b>
--	----------------	---	----------------